



Catalogue 2018

● Acorn nut

Specification:



Item No.	Hex mm	Height mm/inch	Thread
1002			7/16
1004			1/2
1006	21	35/1.38	12mm*1.25
1007			12mm*1.50
1009			14mm*1.50
1012			12mm*1.75

P.S.: Height of 27mm,32mm,40mm,44mm,48mm available



Item No.	Hex mm	Height mm/inch	Thread
1002S			7/16
1004S			1/2
1006S	19	35/1.38	12mm*1.25
1007S			12mm*1.50
1009S			14mm*1.50
1012S			12mm*1.75

P.S.: Height of 27mm,37mm,42mm,45mm,48mm available



Item No.	Hex mm	Height mm/inch	Thread
1002XS			7/16
1003XS			3/8
1004XS	17	45/1.77	1/2
1005XS			10*1.25
1006XS			12mm*1.25
1007XS			12mm*1.50
1009XS			14mm*1.50
1010XS			14mm*2.00

P.S.: Height of 27mm,37mm,42mm,45mm,48mm available

● Bulge Acorn nut



Specification:

Item No.	Hex mm	Height mm/inch	Thread
1702			7/16
1703			3/8
1704			1/2
1705	21	35/1.38	10mm*1.25
1706			12mm*1.25
1707			12mm*1.50
1709			14mm*1.50
1710			14mm*2.00

P.S.: Height of 48mm available



Item No.	Hex mm	Height mm/inch	Thread
1702-LS			7/16
1703-LS			3/8
1704-LS			1/2
1705-LS	19	35/1.38	10mm*1.25
1706-LS			12mm*1.25
1707-LS			12mm*1.50
1709-LS			14mm*1.50
1710-LS			14mm*2.00

P.S.: Height of 54mm available



Item No.	Hex mm	Height mm/inch	Thread
1702SR			7/16
1703SR			3/8
1704SR			1/2
1705SR	19	35/1.38	10mm*1.25
1706SR			12mm*1.25
1707SR			12mm*1.50
1709SR			14mm*1.50
1710SR			14mm*2.00

P.S.: Ball seat type

● Bulge Acorn nut

Specification:



Item No.	Hex mm	Height mm/inch	Thread
1902			7/16
1903			3/8
1904			1/2
1905	21	35/1.38	10mm*1.25
1906			12mm*1.25
1907			12mm*1.50
1909			14mm*1.50
1910			14mm*2.00

P.S.: Height of 27mm,44mm available



Item No.	Hex mm	Height mm/inch	Thread
1902S			7/16
1903S			3/8
1904S			1/2
1905S	19	35/1.38	10mm*1.25
1906S			12mm*1.25
1907S			12mm*1.50
1909S			14mm*1.50
1910S			14mm*2.00

P.S.: Height of 27mm,44mm available



Item No.	Hex mm	Height mm/inch	Thread
1902SR			7/16
1903SR			3/8
1904SR			1/2
1905SR	19	35/1.38	10mm*1.25
1906SR			12mm*1.25
1907SR			12mm*1.50
1909SR			14mm*1.50
1910SR			14mm*2.00

P.S.: Ball Seat type

● Bulge Acorn nut

Specification:



Item No.	Hex mm	Height mm/inch	Thread
1902-PW			7/16
1903-PW			3/8
1904-PW			1/2
1905-PW	21	35/1.38	10mm*1.25
1906-PW			12mm*1.25
1907-PW			12mm*1.50
1909-PW			14mm*1.50
1910-PW			14mm*2.00



Item No.	Hex mm	Height mm/inch	Thread
1902S-PW			7/16
1903S-PW			3/8
1904S-PW			1/2
1905S-PW	19	35/1.38	10mm*1.25
1906S-PW			12mm*1.25
1907S-PW			12mm*1.50
1909S-PW			14mm*1.50
1910S-PW			14mm*2.00



Item No.	Hex mm	Height mm/inch	Thread
1902T-PW			7/16
1903T-PW			3/8
1904T-PW			1/2
1905T-PW	22	40/1.57	10mm*1.25
1906T-PW			12mm*1.25
1907T-PW			12mm*1.50
1909T-PW			14mm*1.50
1910T-PW			14mm*2.00

● Open-End Nut

Specification:



Item No.	Hex mm	Height mm/inch	Thread
1302			7/16
1303			3/8
1304			1/2
1305	21	16/0.63	10mm*1.25
1306			12mm*1.25
1307			12mm*1.50
1309			14mm*1.50
1310			14mm*2.00



Item No.	Hex mm	Height mm/inch	Thread
1302S			7/16
1303S			3/8
1304S			1/2
1305S	19	16/0.63	10mm*1.25
1306S			12mm*1.25
1307S			12mm*1.50
1309S			14mm*1.50
1310S			14mm*2.00

P.S.: Height of 11mm available



Item No.	Hex mm	Height mm/inch	Thread
1302XS			7/16
1303XS			3/8
1304XS			1/2
1305XS	17	16/0.63	10mm*1.25
1306XS			12mm*1.25
1307XS			12mm*1.50
1309XS			14mm*1.50
1310XS			14mm*2.00

● Open-End Nut

Specification:



Item No.	Hex mm	Height mm/inch	Thread
1302-1			7/16
1303-1			3/8
1304-1			1/2
1305-1			10mm*1.25
1306-1	21	22/0.87	12mm*1.25
1307-1			12mm*1.50
1309-1			14mm*1.50
1310-1			14mm*2.00

P.S.: Height of 25mm available



Item No.	Hex mm	Height mm/inch	Thread
1302-1S			7/16
1303-1S			3/8
1304-1S			1/2
1305-1S			10mm*1.25
1306-1S	19	21/0.83	12mm*1.25
1307-1S			12mm*1.50
1309-1S			14mm*1.50
1310-1S			14mm*2.00

P.S.: Height of 25mm,30mm available



Item No.	Hex mm	Height mm/inch	Thread
1302-1XS			7/16
1303-1XS			3/8
1304-1XS			1/2
1305-1XS			10mm*1.25
1306-1XS	17	21/0.83	12mm*1.25
1307-1XS			12mm*1.50
1309-1XS			14mm*1.50
1310-1XS			14mm*2.00

P.S.: Height of 25mm available

● Open-End Nut

Specification:



Item No.	Hex mm	Height mm/inch	Thread
1302-1SR			7/16
1303-1SR			3/8
1304-1SR			1/2
1305-1SR	19	22/0.87	10mm*1.25
1306-1SR			12mm*1.25
1307-1SR			12mm*1.50
1309-1SR			14mm*1.50
1310-1SR			14mm*2.00



Item No.	Hex mm	Height mm/inch	Thread
1302-1XSR			7/16
1303-1XSR			3/8
1304-1XSR			1/2
1305-1XSR	17	22/0.87	10mm*1.25
1306-1XSR			12mm*1.25
1307-1XSR			12mm*1.50
1309-1XSR			14mm*1.50
1310-1XSR			14mm*2.00



Item No.	Hex mm	Height mm/inch	Thread
1302-2XS			7/16
1303-2XS			3/8
1304-2XS			1/2
1305-2XS	17	25/0.98	10mm*1.25
1306-2XS			12mm*1.25
1307-2XS			12mm*1.50
1309-2XS			14mm*1.50
1310-2XS			14mm*2.00

● Mag Nut

Specification:



HEX 21

Item No.	Hex mm	Height mm/inch	Thread
5002			7/16
5003			3/8
5004			1/2
5005	21	41/1.61	10mm*1.25
5006			12mm*1.25
5007			12mm*1.50
5009			14mm*1.50
5010			14mm*2.00

P.S.: Height of 38mm ,46mm available



HEX 21

Item No.	Hex mm	Height mm/inch	Thread
5002B			7/16
5003B			3/8
5004B			1/2
5005B	21	41/1.61	10mm*1.25
5006B			12mm*1.25
5007B			12mm*1.50
5009B			14mm*1.50
5010B			14mm*2.00

P.S.: Height of 38mm available



HEX 21

Item No.	Hex mm	Height mm/inch	Thread
5002O			7/16
5003O			3/8
5004O			1/2
5005O	21	41/1.61	10mm*1.25
5006O			12mm*1.25
5007O			12mm*1.50
5009O			14mm*1.50
5010O			14mm*2.00

● Mag Nut

Specification:



▲
37
▼

HEX 21

Item No.	Hex mm	Height mm/inch	Thread
5102			7/16
5103			3/8
5104			1/2
5105	21	37	10mm*1.25
5106			12mm*1.25
5107			12mm*1.50
5109			14mm*1.50
5110			14mm*2.00



▲
37
▼

HEX 19

Item No.	Hex mm	Height mm/inch	Thread
5202			7/16
5203			3/8
5204			1/2
5205	19	37/1.46	10mm*1.25
5206			12mm*1.25
5207			12mm*1.50
5209			14mm*1.50
5210			14mm*2.00



▲
25
▼

HEX 21

Item No.	Hex mm	Height mm/inch	Thread
51020			7/16
51030			3/8
51040			1/2
51050	21	25/0.98	10mm*1.25
51060			12mm*1.25
51070			12mm*1.50
51090			14mm*1.50
51100			14mm*2.00

P.S.: Height of 20mm available

● Mag Nut

Specification:



Item No.	Hex mm	Height mm/inch	Thread
5302			7/16
5303			3/8
5304			1/2
5305	21	37	10mm*1.25
5306			12mm*1.25
5307			12mm*1.50
5309			14mm*1.50
5310			14mm*2.00

P.S.: Height of 42mm,47mm,58mm available



Item No.	Hex mm	Height mm/inch	Thread
5302TL			7/16
5303TL			3/8
5304TL			1/2
5305TL	22	47/1.85	10mm*1.25
5306TL			12mm*1.25
5307TL			12mm*1.50
5309TL			14mm*1.50
5310TL			14mm*2.00



Item No.	Hex mm	Height mm/inch	Thread
5302A			7/16
5303A			3/8
5304A			1/2
5305A	21	47/1.85	10mm*1.25
5306A			12mm*1.25
5307A			12mm*1.50
5309A			14mm*1.50
5310A			14mm*2.00

P.S.: Height of 37mm,40mm,51mm available

● 6 point Tuner

Specification:



Item No.	Hex mm	Height mm/inch	Thread
2802			7/16
2803			3/8
2804			1/2
2805	20	32/1.26	10mm*1.25
2806			12mm*1.25
2807			12mm*1.50
2809			14mm*1.50
2810			14mm*2.00

P.S.: Black, Red and Blue color available, fit 2800 key



Item No.	Hex mm	Height mm/inch	Thread
2802-L44			7/16
2803-L44			3/8
2804-L44			1/2
2805-L44	20	44/1.73	10mm*1.25
2806-L44			12mm*1.25
2807-L44			12mm*1.50
2809-L44			14mm*1.50
2810-L44			14mm*2.00

P.S.: Black, Red and Blue color available, fit 2800L key



Item No.	Hex mm	Height mm/inch	Thread
2802P-L44			7/16
2803P-L44			3/8
2804P-L44			1/2
2805P-L44	20	44/1.73	10mm*1.25
2806P-L44			12mm*1.25
2807P-L44			12mm*1.50
2809P-L44			14mm*1.50
2810P-L44			14mm*2.00

P.S.: Black, Red and Blue color available, fit 2900 key

● 6 point Spline



Specification:

Item No.	Hex mm	Height mm/inch	Thread
3802			7/16
3803			3/8
3804			1/2
3805	20	35/1.38	10mm*1.25
3806			12mm*1.25
3807			12mm*1.50
3809			14mm*1.50
3810			14mm*2.00

P.S.: Black, Red and Blue color available, fit 3800 key



Item No.	Hex mm	Height mm/inch	Thread
38020			7/16
38030			3/8
38040			1/2
38050	20	21/0.83	10mm*1.25
38060			12mm*1.25
38070			12mm*1.50
38090			14mm*1.50
38100			14mm*2.00

P.S.: fit 3800-B key

● 7 point Spline



Item No.	Hex mm	Height mm/inch	Thread
38020-R			7/16
38030-R			3/8
38040-R			1/2
38050-R	20	21/0.83	10mm*1.25
38060-R			12mm*1.25
38070-R			12mm*1.50
38090-R			14mm*1.50
38100-R			14mm*2.00

P.S.: fit 3800-B key

● 6 point Spline Acorn nut



Specification:

Item No.	Hex mm	Height mm/inch	Thread
3802X			7/16
3803X			3/8
3804X			1/2
3805X	20	41/1.61	10mm*1.25
3806X			12mm*1.25
3807X			12mm*1.50
3809X			14mm*1.50
3810X			14mm*2.00

P.S.: fit 3800-B key

● 7 point Spline



Item No.	Hex mm	Height mm/inch	Thread
3802D			7/16
3803D			3/8
3804D			1/2
3805D	23	35/1.38	10mm*1.25
3806D			12mm*1.25
3807D			12mm*1.50
3809D			14mm*1.50
3810D			14mm*2.00

P.S.: Black color and height of 44mm,51mm available,fit 3800D key



Item No.	Hex mm	Height mm/inch	Thread
3802OD			7/16
3803OD			3/8
3804OD			1/2
3805OD	23	25/0.98	10mm*1.25
3806OD			12mm*1.25
3807OD			12mm*1.50
3809OD			14mm*1.50
3810OD			14mm*2.00

P.S.: fit 3800D or 3800DBK key

● 5 Flower Lock



Specification:

Item No.	Hex mm	Height mm/inch	Thread
40200S			7/16
40300S			3/8
40400S			1/2
40500S	23	32/1.26	10mm*1.25
40600S			12mm*1.25
40700S			12mm*1.50
40900S			14mm*1.50
40100S			14mm*2.00

P.S.: Red,Blue color and height of 44mm,51mm is available,fit 4800 key



Item No.	Hex mm	Height mm/inch	Thread
40200S-PW			7/16
40300S-PW			3/8
40400S-PW			1/2
40500S-PW	23	35/1.38	10mm*1.25
40600S-PW			12mm*1.25
40700S-PW			12mm*1.50
40900S-PW			14mm*1.50
40100S-PW			14mm*2.00

P.S.: Black color is available,fit 3700 key

● Heptagon



Item No.	Hex mm	Height mm/inch	Thread
3702			7/16
3703			3/8
3704			1/2
3705	19	32/1.26	10mm*1.25
3706			12mm*1.25
3707			12mm*1.50
3709			14mm*1.50
3710			14mm*2.00

P.S.: Blue,Red colorful is available

● Inner Flower Lock



Specification:

Item No.	Hex mm	Height mm/inch	Thread
40200			7/16
40300			3/8
40400			1/2
40500	23	31/1.22	10mm*1.25
40600			12mm*1.25
40700			12mm*1.50
40900			14mm*1.50
41000			14mm*2.00

P.S.: fit 5800 key

● Inner Flower Lock



Item No.	Hex mm	Height mm/inch	Thread
42200			7/16
42300			3/8
42400			1/2
42500	23	36/1.42	10mm*1.25
42600			12mm*1.25
42700			12mm*1.50
42900			14mm*1.50
43000			14mm*2.00

P.S.: fit 5800 key

● Heptagon



Item No.	Hex mm	Height mm/inch	Thread
44200			7/16
44300			3/8
44400			1/2
44500	23	38/1.50	10mm*1.25
44600			12mm*1.25
44700			12mm*1.50
44900			14mm*1.50
45000			14mm*2.00

P.S.: Height of 48mm available, fit 5800 key

● Heptagon

Specification:

Item No.	Hex mm	Height mm/inch	Thread
3702N			7/16
3703N			3/8
3704N			1/2
3705N	19	32/1.26	10mm*1.25
3706N			12mm*1.25
3707N			12mm*1.50
3709N			14mm*1.50
3710N			14mm*2.00

P.S.: Blue,Red color is available

● Washer lock


Item No.	Hex mm	Height mm/inch	Thread
45200			7/16
45300			3/8
45400			1/2
45500	20	37/1.46	10mm*1.25
45600			12mm*1.25
45700			12mm*1.50
45900			14mm*1.50
46000			14mm*2.00

P.S.: fit 6800 key

● Spinning lock


Item No.	Hex mm	Height mm/inch	Thread
46200			7/16
46300			3/8
46400			1/2
46500		38/1.50	10mm*1.25
46600			12mm*1.25
46700			12mm*1.50
46900			14mm*1.50
47000			14mm*2.00

P.S.: fit 6800 key

● Key Adapter

Specification:



Item No.	Hex mm	Height mm/inch	Fit for
2800	19/21	62	6 Point Key



Item No.	Hex mm	Height mm/inch	Fit for
2800L	19/21	70	6 Point Key Longer



Item No.	Hex mm	Height mm/inch	Fit for
2900	19/21	62	9 Point Key Longer



Item No.	Hex mm	Height mm/inch	Fit for
3800	19/21	89	6 spline wrench

● Key Adapter

Specification:



Item No.	Hex mm	Height mm/inch	Fit for
3800B	19/21	89	6 Spline Wrench



Item No.	Hex mm	Height mm/inch	Fit for
3800D	21/22	89	7 Spline Wrench



Item No.	Hex mm	Height mm/inch	Fit for
3800DBK	21/22	89	7 Spline Wrench Black



Item No.	Hex mm	Height mm/inch	Fit for
4800	19/21	42	5 Flower Wrench

• Key Adapter
Specification:


Item No.	Hex mm	Height mm/inch	Fit for
5800	19		7 Flower key



Item No.	Hex mm	Height mm/inch	Fit for
6800	19		Spinning Flower Wrench



Item No.	Hex mm	Height mm/inch	Fit for
7800	19/21		Washer Flower wrench

Specification:

Item No.	Hex mm	Height mm/inch	Overall Length mm/inch	Thread	Seat
172406	17	24/0.95	51/2.01	12mm*1.25	60°
172407				12mm*1.50	
172409				14mm*1.50	
172806		28/1.10	55/2.17	12mm*1.25	
172807				12mm*1.50	
172809				14mm*1.50	
173306		33/1.30	60/2.36	12mm*1.25	
173307				12mm*1.50	
173309				14mm*1.50	
173906		39/1.54	66/2.60	12mm*1.25	
173907				12mm*1.50	
173909				14mm*1.50	



Item No.	Hex mm	Height mm/inch	Overall Length mm/inch	Thread	Seat
172406R	17	24/0.95	51/2.01	12mm*1.25	R
172407R				12mm*1.50	
172409R				14mm*1.50	
172806R		28/1.10	55/2.17	12mm*1.25	
172807R				12mm*1.50	
172809R				14mm*1.50	
173306R		33/1.30	60/2.36	12mm*1.25	
173307R				12mm*1.50	
173309R				14mm*1.50	
173906R		39/1.54	66/2.60	12mm*1.25	
173907R				12mm*1.50	
173909R				14mm*1.50	



Specification:



Item No.	Hex mm	Height mm/inch	Overall Length mm/inch	Thread	Seat
192406	19	24/0.95	51/2.01	12mm*1.25	60°
192407				12mm*1.50	
192409				14mm*1.50	
192806		28/1.10	55/2.17	12mm*1.25	
192807				12mm*1.50	
192809				14mm*1.50	
193306		33/1.30	60/2.36	12mm*1.25	
193307				12mm*1.50	
193309				14mm*1.50	
193906		39/1.54	66/2.60	12mm*1.25	
193907				12mm*1.50	
193909				14mm*1.50	



Item No.	Hex mm	Height mm/inch	Overall Length mm/inch	Thread	Seat
192406R	19	24/0.95	51/2.01	12mm*1.25	R
192407R				12mm*1.50	
192409R				14mm*1.50	
192806R		28/1.10	55/2.17	12mm*1.25	
192807R				12mm*1.50	
192809R				14mm*1.50	
193306R		33/1.30	60/2.36	12mm*1.25	
193307R				12mm*1.50	
193309R				14mm*1.50	
193906R		39/1.54	66/2.60	12mm*1.25	
193907R				12mm*1.50	
193909R				14mm*1.50	

Specification:



Item No.	Hex mm	Height mm/inch	Overall Length mm/inch	Thread	Seat
8172406	17	24/0.95	78/3.07	12mm*1.25	60°
8172407				12mm*1.50	
8172409		14mm*1.50			
8172806		28/1.10		12mm*1.25	
8172807				12mm*1.50	
8172809				14mm*1.50	
8173306		33/1.30		12mm*1.25	
8173307				12mm*1.50	
8173309				14mm*1.50	



Item No.	Hex mm	Height mm/inch	Overall Length mm/inch	Thread	Seat
8192406R	19	24/0.95	78/3.07	12mm*1.25	60°
8192407R				12mm*1.50	
8192409R		14mm*1.50			
8192806R		28/1.10		12mm*1.25	
8192807R				12mm*1.50	
8192809R				14mm*1.50	
8193306R		33/1.30		12mm*1.25	
8193307R				12mm*1.50	
8193309R				14mm*1.50	

Specification:



Item No.	Hex mm	Height mm/inch	Overall Length mm/inch	Thread	Seat
52406	22	24/0.95	51/2.01	12mm*1.25	60
52407				12mm*1.50	
52409				14mm*1.50	
52806		28/1.10	55/2.17	12mm*1.25	
52807				12mm*1.50	
52809				14mm*1.50	
53306		33/1.30	60/2.36	12mm*1.25	
53307				12mm*1.50	
53309				14mm*1.50	
53906		39/1.54	66/2.60	12mm*1.25	
53907				12mm*1.50	
53909				14mm*1.50	



Item No.	Hex mm	Height mm/inch	Overall Length mm/inch	Thread	Seat
52406R	22	24/0.95	51/2.01	12mm*1.25	R
52407R				12mm*1.50	
52409R				14mm*1.50	
52806R		28/1.10	55/2.17	12mm*1.25	
52807R				12mm*1.50	
52809R				14mm*1.50	
53306R		33/1.30	60/2.36	12mm*1.25	
53307R				12mm*1.50	
53309R				14mm*1.50	
53906R		39/1.54	66/2.60	12mm*1.25	
53907R				12mm*1.50	
53909R				14mm*1.50	

Specification:



Item No.	Hex mm	Height mm/inch	Overall Length mm/inch	Thread	Seat
62406	22	24/0.95	51/2.01	12mm*1.25	60
62407				12mm*1.50	
62409				14mm*1.50	
62806		28/1.10	55/2.17	12mm*1.25	
62807				12mm*1.50	
62809				14mm*1.50	
63306		33/1.30	60/2.36	12mm*1.25	
63307				12mm*1.50	
63309				14mm*1.50	
63906		39/1.54	66/2.60	12mm*1.25	
63907				12mm*1.50	
63909				14mm*1.50	



Item No.	Hex mm	Height mm/inch	Overall Length mm/inch	Thread	Seat
62406SP	22	24/0.95	51/2.01	12mm*1.25	60
62407SP				12mm*1.50	
62409SP				14mm*1.50	
62806SP		28/1.10	55/2.17	12mm*1.25	
62807SP				12mm*1.50	
62809SP				14mm*1.50	
63306SP		33/1.30	60/2.36	12mm*1.25	
63307SP				12mm*1.50	
63309SP				14mm*1.50	
63906SP		39/1.54	66/2.60	12mm*1.25	
63907SP				12mm*1.50	
63909SP				14mm*1.50	

Specification:



Item No.	Hex mm	Height mm/inch	Overall Length mm/inch	Thread	Seat
72406	22	24/0.95	51/2.01	12mm*1.25	60
72407				12mm*1.50	
72409				14mm*1.50	
72806		28/1.10	55/2.17	12mm*1.25	
72807				12mm*1.50	
72809				14mm*1.50	
73306		33/1.30	60/2.36	12mm*1.25	
73307				12mm*1.50	
73309				14mm*1.50	
73906				12mm*1.25	
73907				12mm*1.50	
73909		14mm*1.50			



Item No.	Hex mm	Height mm/inch	Overall Length mm/inch	Thread	Seat
62406T	20	24/0.95	51/2.01	12mm*1.25	---
62407T				12mm*1.50	
62409T				14mm*1.50	
62806T		28/1.10	55/2.17	12mm*1.25	
62807T				12mm*1.50	
62809T				14mm*1.50	
63306T		33/1.30	60/2.36	12mm*1.25	
63307T				12mm*1.50	
63309T				14mm*1.50	
63906T				12mm*1.25	
63907T				12mm*1.50	
63909T		14mm*1.50			

Specification:



Item No.	Hex mm	Height mm/inch	Overall Length mm/inch	Thread	Seat
72406T	20	24/0.95	51/2.01	12mm*1.25	---
72407T				12mm*1.50	
72409T				14mm*1.50	
72806T		28/1.10	55/2.17	12mm*1.25	
72807T				12mm*1.50	
72809T				14mm*1.50	
73306T		33/1.30	60/2.36	12mm*1.25	
73307T				12mm*1.50	
73309T				14mm*1.50	
73906T		39/1.54	66/2.60	12mm*1.25	
73907T				12mm*1.50	
73909T				14mm*1.50	



Item No.	Hex mm	Height mm/inch	Overall Length mm/inch	Thread	Seat
92406T	20	24/0.95	51/2.01	12mm*1.25	---
92407T				12mm*1.50	
92409T				14mm*1.50	
92806T		28/1.10	55/2.17	12mm*1.25	
92807T				12mm*1.50	
92809T				14mm*1.50	
93306T		33/1.30	60/2.36	12mm*1.25	
93307T				12mm*1.50	
93309T				14mm*1.50	
93906T		39/1.54	66/2.60	12mm*1.25	
93907T				12mm*1.50	
93909T				14mm*1.50	

Specification:

Item No.	O.D. mm	Thread Length mm	Overall Length mm	Thread	Plating
SD001	20	24/0.95	51/2.01	12mm*1.25	Zinc/ Dacromet/ Black
72407T				12mm*1.50	
72409T				14mm*1.50	
72806T		28/1.10	55/2.17	12mm*1.25	
72807T				12mm*1.50	
72809T				14mm*1.50	
73306T		33/1.30	60/2.36	12mm*1.25	
73307T				12mm*1.50	
73309T				14mm*1.50	
73906T		39/1.54	66/2.60	12mm*1.25	
73907T				12mm*1.50	
73909T				14mm*1.50	





SERVICE WITH A SMILE

86-574-8185 8937
Contact Us

