



EXPERIENCE 20+ YEARS

PRODUCT CATALOG

Serve customers at TOP, Create value as Priority.

NINGBO SUNSOUL
AUTO ACCESSORIES CO.,LTD

ADD:
No.80, Gongmao 2nd Road,
Haishu District,Ningbo,China

TEL: FAX:
+86-574-8185 8937 +86-574-8388 8031

WhatsApp:
+86-158-8803 5517

Email:
sales@autosunsoul.com



autosunsoul.com



关于我们 ABOUT US /

SUNSOUL is a modern integrating R&D, production, sales and service of Automotive repair industry. Specialized in the various production of Tire Repair Materials and Accessories, suitable for cars, vans, trucks, OTR, bicycles and motorcycle vehicles. SUNSOUL is based on the business philosophy of quality first and service top, after continuous innovation and development, our team has extended from Tire Repair Patch, Tire Valve and Wheel Balance Weights, developed various creative Tire Repair Kits, Automotive wheel nut bolt, Wheel spacer and adapter and Auto Repair Tools and Machines.

SUNSOUL creates profitable growth through a balanced business portfolio to ensure sustainable success. We believe outstanding employees are the foundation of the company's success. With strict supervision quality and professional service, our company successfully markets the products across South America, Europe, USA, Australia, Southeast and so on.



- Export to 60+ countries
- Service for 300+ customers
- Extend 3000+ SKU products

企业文化 SUNSOUL CULTURE /

SUNSOUL MISSION	Escort your car, Keep the driver safety on the road
SUNSOUL VALUE	Serve customers at TOP, Create value as Priority Gather team strength, Achieve both future for both
SUNSOUL SPIRIT	Courage to Challenge, Innovation, Transcend Self

核心优势 CORE ADVANTAGE /

Quality

100% quality check during and after production by QC system and strict supervision quality.

Service

Fast response to customers' demands, 24 hours working with customers during and after-sales.

Responsibility

Assist customers to solve product sales and using problems, bear product quality assurance responsibility in warranty.

Experience




More than 20 years experience to help customers expand the market and increase the sales.

质量管理 QUALITY MANAGEMENT /

SUNSOUL is verified by TUV and SOC

Our administration system is following ISO9001:2015

Passed international certification: CE, ROHS, MSDS



性能测试设备 PERFORMANCE TEST EQUIPMENT /



- PULLING TEST MACHINE
- SALT SPRAY MACHINE
- RUBBER & METAL HARDNESS
- OZONE TEST MACHINE
- OVEN MACHINE
- PROJECTOR



PULLING TEST MACHINE



HARDNESS TESTER



OZONE TEST MACHINE




OVEN MACHINE



SALT SPRAY MACHINE

轮胎气门嘴和车轮重量 TIRE VALVES & WHEEL WEIGHTS /



4-Production Lines

- Snap in Tire Valves
- Metal Tire Valve Stems
- TPMS Tire Valves
- Wheel Weights

70+ CNC machines group




轮胎贴片生产基地 TIRE PATCH PRODUCTION BASE /



30+ Rubber Vulcanizing Machines

2-Production Lines

- European style Tire Patch
- USA style Tire Patch



Tire Changing Accessories



SUNSOUL code: SS-Y2-16
Big Cyliner, 186mm



SUNSOUL code: SS-Y2-17
Big Cyliner, 186mm




SUNSOUL code: SS-Y2-18
Big Cyliner, 186mm



SUNSOUL code: SS-Y2-19
Big Cyliner, 186mm



SUNSOUL code: SS-Y2-20
Cyliner stem, 20mm



SUNSOUL code: SS-Y2-21
Cyliner spring



SUNSOUL code: WBW-010
Upper cabinet cover + protective hood for wheel balancer



SUNSOUL code: WBW-011
Upper cabinet cover + protective hood for wheel balancer



SUNSOUL code: WBW-012
Upper cabinet cover for wheel balancer



SUNSOUL code: WBW-013
Upper cabinet cover for wheel balancer



SUNSOUL code: WBW-001A
Rim Width Caliper



SUNSOUL code: WBW-001B
Rim Width Caliper for truck



SUNSOUL code: WBW-004
Wheel balancer ruler, 0-25cm



SUNSOUL code: PCDG-140
PCD Gauge



SUNSOUL code: WRH-6345
Wheel Rim Hook



SUNSOUL code: GLE-40A
40A Rotary cam switch



SUNSOUL code: GLE-32A-6
32A or 40A Rotary cam switch



SUNSOUL code: GLE-40A-6
32A or 40A Rotary cam switch



SUNSOUL code: GLE9-32A
32A Rotary cam switch



SUNSOUL code	Inner Hole	Quick Couple	Colour
ADV-100	49.5 mm	8 mm	Black
ADV-101	49.5 mm	8 mm	White
ADV-102	49.5 mm	8 mm+12 mm	Black
ADV-103	49.5 mm	8 mm	White
ADV-104	49.5 mm	8 mm	Silver
ADV-105	49.5 mm	8 mm+12 mm	Silver



SUNSOUL code	Size	Up Width	Down Width
WBW-003-01	36 mm	45 mm	62 mm
WBW-003-02	38 mm	53 mm	80 mm
WBW-003-03	40 mm	69 mm	105 mm
WBW-003-04	40 mm	94 mm	137 mm



SUNSOUL code	Description	Length	Height
WBW-002-36	Quick nut, 36mm	180 mm	70 mm
WBW-002-38	Quick nut, 38mm	180 mm	70 mm
WBW-002-403	Quick nut, 40*3	180 mm	70 mm
WBW-002-404	Quick nut, 40*4	180 mm	70 mm


Wheel Nuts & Adapters

Wheel Nuts & Bolts, Wheel Spacer & Adapter, Hub Rings, Wheel Studs,

Wheel Spacer

- Features:

- Material:6061 T6 grade forged aluminum for superior strength and hardness
- Adapters are manufactured by CNC machine
- Anodizing treatment for surface



SUNSOUL code	Thickness(mm)	Description	I.D.(mm)	O.D. (mm)
SS-50100	3/5/6/8	4&5 Holes on 98-120mm	78	151
SS-50101	8	4 Holes on 101.6-114.3mm	71.5	151.5
SS-50102	7.8	5 Holes on 114.3-127mm	90	164.3
SS-50103	5.8	5&6 Holes on 5 1/2	107	178
SS-50104	6/8/10/12	8 Holes on 165.1mm	125	207.8
SS-50105	8	5 Holes on 100-120mm	81	152
SS-50106	5	5 Holes on 100-120mm	81	152
SS-50108	12.7	5 Holes on 108-120mm	82	155
SS-50109	4/5/7	4&5 Holes on 98-120mm	73	148.5
SS-50110	3/5/6.35/8/9	5&6 Holes on 98*130mm	72.5	152
SS-50111	3.5	4&5 Holes on 98-120mm	77	143
SS-50112	6	4 Holes on 98-120mm, 3-3/4, to 4-1/2"	72.5	157
SS-50113	3/5/8	4&5 Holes on 98-114.3mm	75	135
SS-50118	6	7 Holes on 150mm	114.3	183
SS-50119	6	6 Holes on 139.7mm	110	168
SS-50121	12/15		73	145
SS-50122	10/15/20/25		72.6	141
SS-50123	10/18		73.1	141
SS-50124	17/20		50	150

Wheel Spacer

Wheel Adapters



Any color is available

SUNSOUL code	Thickness	Application PCD	Center Bore	OD
WS4100	5,8	4x100	56.1,57.1	150
WS5112	5,10	5x112	66.6	150
WS5120	5	5x120	72.6	149
WS5100/5112	5,8,10,15	5x100/5x112	57.1	150
WS5108/110	5	5x108/5x110	65.1	150
WS5108/450	5	5x108/5x4.5	67.1,74	150
WS4100L	12,15,20	4x100	56.1,57.1	150
WS5112L	12,15,17,20	5x112	66.6	149
WS5120L	12,15,17,20	5x120	72.6,74.1	149
WS5130L	12,15,20	5x130	71.6	164
WS5100/5112	12,15,20	5x100/5x112	57.1	150

- Features:

- Material:6061 T6 grade forged aluminum for superior strength and hardness
- Adapters are manufactured by CNC machining center
- Studs:12.9 grade
- Anodizing treatment for surface
- Any specification and color can be customized

ATV Adapter

ATV Adapters



SUNSOUL code	Vehicle PCD	Wheel PCD	Thickness	ID	OD	Stud Thread Size
ATV4100-4100	4x100	4x100	1"	69.9 80x7.6	147.3	10x1.25
ATV4100-4110	4x100	4x110	1"	69.9 80x7.6	147.3	10x1.25
ATV4110-4110	4x110	4x110	1",1.5",2"	76.2 80x6.7	147.3	10x1.25
ATV4110-4156	4x110	4x156	1",1.5"	77.8 90x4.8	190.5	3/8x24,10x1.25
ATV4450-4110	4x4.5	4x110	1.25"	76.2 84x4.5	147.3	10x1.25
ATV4450-4450A	4x4.5	4x4.5	1",1.5",2"	76.2 84x4.5	147.3	10x1.25
ATV4450-4450B	4x4.5	4x4.5	1.5",2"	76.2 92.1x4.4	147.3	10x1.25
ATV4136-4136A	4x136	4x136	1",1.5",2"	110 117.5x9	171.5	10x1.25
ATV4136-4136B	4x136	4x136	1",2"	101.6 119.1x9	171.5	10x1.25
ATV4137-4110	4x137	4x110	1",1.5",2"	82.5 119.1x9	171.5	10x1.25
ATV4137-4137	4x137	4x137	1.5",2"	101.6 119.1x9	171.5	10x1.25
ATV4144-4144	4x144	4x144	1.5",2"	106.8 117.7x9	175.3	10x1.25
ATV4156-4110	4x156	4x110	1.5",2"	82.5 131x9.5	190.5	10x1.25
ATV4156-5450	4x156	5x4.5	1"	82.5 141x9	190.5	10x1.25
ATV4156-4156	4x156	4x156	1",1.5",2"	129.4 131x9.5	190.5	3/8x24,10x1.25

4-Lug Wheel Adapter



Before



After

SUNSOUL code	Vehicle PCD	Wheel PCD	Thickness	ID	OD	Stud Thread Size
WA4100-4100	4x100	4x100	1",1.25"	60, 64	150	12x1.5
WA4100-4425	4x100	4x4.25	1",1.25"	64	150	12x1.5
WA4100-4450	4x100	4x4.5	1",1.25"	60, 64	150	12x1.5
WA4110-4110	4x110	4x110	1",1.25",2 "	73.1, 74	150	12x1.5
WA4110-4450	4x110	4x4.5	1 "	73.1	150	12x1.5
WA4130-4130	4x130	4x130	1 "	78	164	12x1.5
WA4130-4450	4x130	4x4.5	1 "	78	164	12x1.5
WA4156-4156	4x156	4x156	1 " , 2"	131	202	3/8"-24
WA4425-4100	4x4.25	4x100	1 " , 1.25"	71, 73	150	12x1.5
WA4425-4425	4x4.25	4x4.25	1 " , 1.25" , 1.5"	71, 73	150	12x1.5
WA4425-4550	4x4.25	4x5.5	1 " , 1.25"	73	150	12x1.5
WA4400-4100	4x4	4x100	1 "	64	150	12x1.5
WA4400-4400	4x4	4x4	1 "	64	150	12x1.5
WA4450-4425	4x4.5	4x4.25	1 " , 1.25"	73	150	12x1.5
WA4450-4450	4x4.5	4x4.5	1",1.25",1.5" , 2 "	71, 73	150	12x1.5

5 Lug Wheel Spacer



SUNSOU code	Vechicle PCD	Wheel PCD	Thickness	ID	OD	Stud Thraad Size
WA5100-5100	5x100	5x100	1",1.25",1.5",2"	57.1,73.1	150	12x1.5
WA5100-5110	5x100	5x110	1"	57.1	150	12x1.5
WA5100-5112	5x100	5x112	1",1.25"	57.1	150	12x1.5
WA5100-5425	5x100	5x4.25	1"	57.1	150	12x1.5
WA5100-5450	5x100	5x4.5	1",1.25"	57.1,73.1	150	12x1.5
WA5100-5475	5x100	5x4.75	1"	57.1,73.1	164	12x1.5
WA5105-5100	5x105	5x100	1"	56.6	150	12x1.5
WA5105-5110	5x105	5x110	1"	56.6	150	12x1.5
WA5105-5450	5x105	5x4.5	1"	56.6	150	12x1.5
WA5110-5100	5x110	5x100	1"	65.1	150	12x1.5
WA5110-5110	5x110	5x110	1",1.25"	65.1	150	12x1.5
WA5110-5450	5x110	5x4.5	1",1.25"	65.1	150	12x1.5
WA5110-5475	5x110	5x4.75	1",1.25"	65.1	164	12x1.5
WA5115-5115	5x115	5x115	1",1.25",1.5",2"	57.1,73.1,74	150	12x1.5,14x1.5
WA5115-5450	5x115	5x4.5	1.25"	74	150	12x1.5
WA5115-5475	5x115	5x4.75	1.25"	74	164	12x1.5
WA5115-5500	5x115	5x5	1.25"	74	150	12x1.5
WA5120-5120	5x120	5x120	1",1.25",1.5"	67.1,72.6	164	14x1.5
WA5135-5135	5x135	5x135	1.5",2"	87.1	176	14x2.0
WA5135-5450	5x135	5x4.5	1.25",1.5"	71.5,87.1	176	14x1.5,14x2.0
WA5400-5400	5x4	5x4	1"	73.1	164	12x1.5
WA5425-5425	5x4.25	5x4.25	1",1.25"	70.7	150	12x1.5
WA5425-5450	5x4.25	5x4.5	1",1.25"	70.7,73.1	150	12x1.5
WA5425-5475	5x4.25	5x4.75	1"	70.7	164	12x1.5
WA5450-5100	5x4.5	5x100	1",1.25"	73.1	164	1/2"-20
WA5450-5110	5x4.5	5x110	1"	74	150	12x1.5
WA5450-5112	5x4.5	5x112	1.25"	73.1,74	150	12x1.5
WA5450-5115	5x4.5	5x115	1.25"	74	150	12x1.5
WA5450-5120	5x4.5	5x120	1",1.25"	74	164	12x1.5
WA5450-5135	5x4.5	5x135	1.25",1.5"	73.1,74	176	12x1.5,1/2"-20
WA5450-5425	5x4.5	5x4.25	1",1.25"	73.1,74	150	12x1.5,1/2"-20
WA5450-5450	5x4.5	5x4.5	1",1.25",1.5",2"	73.1,74	150	112x1.5,1/2"-20
WA5450-5475	5x4.5	5x4.75	1",1.25",1.5",2"	73.1,74	164	12x1.5,1/2"-20
WA5450-5500	5x4.5	5x5	1",1.25",1.5",2"	71.6,73.1,74	164	12x1.5,1/2"-20
WA5450-5550	5x4.5	5x5.5	1",1.25",1.5",2"	73.1,74	176	12x1.5,1/2"-20
WA5120-5120	5x120	5x120	1.25"	74	164	14x1.5
WA5120-5450	5x120	5x4.5	1.25"	74	164	12x1.5
WA5120-5475	5x120	5x4.75	1.25"	74	164	12x1.5
WA5120-5500	5x120	5x5	1.25"	74	164	12x1.5
WA5475-5100	5x4.75	5x100	1",1.25"	74	164	12x1.5
WA5475-5112	5x4.75	5x112	1.25"	74	164	12x1.5
WA5475-5115	5x4.75	5x115	1.25"	74	164	12x1.5
WA5475-5120	5x4.75	5x120	1.25"	74	164	14x1.5
WA5475-5135	5x4.75	5x135	1.25",1.5"	74	176	12x1.5
WA5475-5425	5x4.75	5x4.25	1"	74	164	12x1.5
WA5475-5450	5x4.75	5x4.5	1",1.25",1.5",2"	74	164	12x1.5
WA5475-5475	5x4.75	5x4.75	1",1.25",1.5",2",2.5",3"	73.1,74	164	12x1.5,7/16"
WA5475-5500	5x4.75	5x5	1",1.25",1.5",2"	74	164	12x1.5
WA5475-5550	5x4.75	5x5.5	1",1.25",1.5",2"	74	176	1/2"-20,12x1.5
WA5500-5115	5x5	5x115	1.25"	78.1	164	12x1.5
WA5500-5120	5x5	5x120	1.25"	78.1	164	14x1.5
WA5500-5135	5x5	5x135	1.25"	78.1	176	12x1.5,1/2"-20
WA5500-5450	5x5	5x4.5	1",1.25",1.5"	78.1	164	12x1.5,1/2"-20
WA5500-5475	5x5	5x4.75	1",1.25",1.5",2"	78.1	164	12x1.5,1/2"-20
WA5500-5500	5x5	5x5	1",1.25",1.5",2"	78.1	164	12x1.5,1/2"-20,14x1.5
WA5500-5550	5x5	5x5.5	1.25",1.5"	78.1,82.5	176	12x1.5,1/2"-20
WA5550-5135	5x5.5	5x135	1",1.5"	108	176	1/2"-20
WA5550-5450	5x5.5	5x4.5	1",1.25",1.5"	87.1,88	176	1/2"-20
WA5550-5475	5x5.5	5x4.75	1",1.25",1.5"	87.1	176	1/2"-20
WA5550-5500	5x5.5	5x5	1.5"	87.1,88	176	1/2"-20
WA5550-5550	5x5.5	5x5.5	1",1.25",1.5",2"	77.8,108	176	1/2"-20,1/16",14x1.5

6 Lug Wheel Spacer



SUNSOU code	Vechicle PCD	Wheel PCD	Thickness	ID	OD	Stud Thraad Size
WA6132-6550	6x132	6x5.5	1.5"	74.5	176	14x1.5
WA6135-6135	6x135	6x135	1.5",2"	87.1	176	14x2.0
WA6135-6450	6x135	6x4.5	1.25"	87.1	176	14x2.0
WA6135-6550	6x135	6x5.5	1.5"	87.1	176	14x2.0
WA6450-6135	6x4.5	6x135	1.25"	71.5	176	14x2.0
WA6450-6450	6x4.5	6x4.5	1",1.5",2"	66.1,71.5,73.1	150	1/2"-20,12x1.25
WA6450-6550	6x4.5	6x5.5	1",1.25",1.5"	71.5,73.1	176	1/2"-20
WA6500-6135	6x5	6x135	1.5"	78.1	176	14x2
WA6500-6500	6x5	6x5	1.5"	78.3	164	12x1.5
WA6500-6550	6x5	6x5.5	1",1.5"	78.3	176	14x1.5
WA6550-6115	6x5.5	6x115	1.5"	78.1	176	12x1.5
WA6550-6120	6x5.5	6x120	1.5"	65.1	176	12x1.5
WA6550-6127	6x5.5	6x127	1.5"	78.1	176	12x1.5
WA6550-6132	6x5.5	6x132	1.5"	78.1	176	12x1.5
WA6550-6135	6x5.5	6x135	1.25",1.5"	78.1,108	176	12x1.5,14x1.5,14x20
WA6550-6450	6x5.5	6x4.5	1.5"	78.1,87.1	176	14x1.5
WA6550-6500	6x5.5	6x5	1.5"	78.1	176	12x1.5
WA6550-6550	6x5.5	6x5.5	1",1.25",1.5",2",2.5",3"	78.1,87.1,108	176	12x1.5,14x1.5,7/16"

8 Lug Wheel Spacer



SUNSOU code	Vechicle PCD	Wheel PCD	Thickness	ID	OD	Stud Thraad Size
WA8170-8170	8x170	8x170	1.5",2",2.5",3"	108,125,125.6	202	14x1.5,14x2.0
WA8170-8180	8x170	8x180	1.5"	125.6	215	14x1.5
WA8170-8200	8x170	8x200	2"	125	254	14x1.5
WA8170-8650	8x170	8x6.5	1.5",2"	125,125.6	202	14x1.5
WA8180-8180	8x180	8x180	1.5",2",2.5",3"	125.6	215	14x1.5
WA8180-8210	8x180	8x210	2"	125.6	254	14x1.5
WA8180-8650	8x180	8x6.5	1.5",2"	125.6	215	14x1.5
WA8200-8200	8x200	8x200	2"	146	254	14x1.5
WA8210-8210	8x210	8x210	2",2.5"	155	254	14x1.5
WA8650-8170	8x6.5	8x170	1.5",2"	125.6,126	202	14x1.5
WA8650-8180	8x6.5	8x180	1.5",2"	125.6,126	216	14x1.5
WA8650-8650	8x6.5	8x6.5	1",1.5",2",2.5",3"	125.6,126	202	14x1.5,9/16",1/2"-20

2PCS Wheel Spacer



SUNSOUL code	Vehicle PCD	Wheel PCD	Thickness	ID	OD	Stud Thraad Size
WA4100-5450	4x100	5x4.5	2"	67.1	176	12x1.5
WA4425-5450	4x4.25	5x4.5	2"	72	176	12x1.5
WA4450-5450	4x4.5	5x4.5	2"	72	176	12x1.5
WA5135-6135	5x135	6x135	2"	87.1	176	12x1.5
WA5450-6550	5x4.5	6x5.5	2"	74	176	12x1.5
WA5550-6135	5x5.5	6x135	2"	108	176	12x1.5
WA6550-8180	6x5.5	8x180	2"	108	215	14x1.5
WA6550-5500	6x5.5	5x5	2"	108	176	14x1.5
WA6315-5550	6x135	5x5.5	2"	87.1	176	14x1.5
WA8650-6550	8x6.5	6x5.5	2"	125.6	202	14x1.5

Dual Drilled Wheel Spacer



SUNSOUL code	Vehicle PCD	Wheel PCD	Thickness	ID	OD	Stud Thraad Size
WA4100/4425-4450	4x100/4x4.25	4x4.5	1"	71	150	12x1.5
WA4100/4450-4425	4x100/4x4.5	4x4.25	1"	71	150	12x1.5
WA4425/4450-4100	4x4.25/4x4.5	4x100	1"	71	150	12x1.5
WA4425/4450-4425	4x4.25/4x4.5	4x4.25	1"	67.1	150	12x1.5
WA5135/5500-5135	5x135/5x5	5x135	1.5"	87.1	176	12x1.5
WA5135/5500-5450	5x135/5x5	5x4.5	1.5"	87.1	176	12x1.5
WA5135/5500-5475	5x135/5x5	5x4.75	1.5"	87.1	176	12x1.5
WA5135/5500-5500	5x135/5x5	5x5	1.5"	87.1	176	12x1.5
WA5135/5500-5550	5x135/5x5	5x5.5	1.5"	87.1	176	12x1.5
WA5450/5475-5110	5x4.5/5x4.75	5x110	1.25"	74	164	12x1.5
WA5450/5475-5112	5x4.5/5x4.75	5x112	1.25"	74	164	12x1.5
WA5450/5475-5115	5x4.5/5x4.75	5x115	1.25"	74	164	12x1.5
WA5450/5475-5135	5x4.5/5x4.75	5x135	1.25"	74	176	12x1.5
WA5450/5475-5450	5x4.5/5x4.75	5x4.5	1.25"	74	164	12x1.5
WA5450/5475-5475	5x4.5/5x4.75	5x4.75	1.25"	74	164	12x1.5
WA5450/5475-5500	5x4.5/5x4.75	5x5	1.25"	74	164	12x1.5
WA5450/5475-5550	5x4.5/5x4.75	5x5.5	1.25"	74	176	12x1.5
WA5475/5500-5500	5x4.75/5x5	5x5	1.5"	78.1	164	12x1.5
WA5500/5550-5135	5x5/5x5.5	5x135	1.5"	87.1	176	1/2"-20
WA5500/5550-5450	5x5/5x5.5	5x4.5	1.5"	87.1	176	1/2"-20
WA5500/5550-5475	5x5/5x5.5	5x4.75	1.5"	87.1	176	1/2"-20
WA5500/5550-5500	5x5/5x5.5	5x5	1.5"	87.1	176	1/2"-20
WA5500/5550-5550	5x5/5x5.5	5x5.5	1.5"	87.1	176	1/2"-20

Wheel Center Hub Ring



Aluminum



Plastic

67 Series

SUNSOUL code	O.D.	I.D.
HR6710-5410	67.1MM	54.1MM
HR6710-5610	67.1MM	56.1MM
HR6710-5660	67.1MM	56.6MM
HR6710-5710	67.1MM	57.1MM
HR6710-6010	67.1MM	60.1MM
HR6710-6410	67.1MM	64.1MM

72 Series

SUNSOUL code	O.D.	I.D.
HR7260-5610	72.6MM	56.1MM
HR7260-5710	72.6MM	57.1MM
HR7260-5960	72.6MM	59.6MM
HR7260-6010	72.6MM	60.1MM
HR7260-6390	72.6MM	63.9MM
HR7260-6410	72.6MM	64.1MM
HR7260-6510	72.6MM	65.1MM
HR7260-6610	72.6MM	66.1MM
HR7260-6650	72.6MM	66.5MM
HR7260-6660	72.6MM	66.6MM
HR7260-6710	72.6MM	67.1MM

73 Series

SUNSOUL code	O.D.	I.D.
HR73-6510	73MM	65.1MM
HR73-6610	73MM	66.1MM
HR73-6640	73MM	66.4MM
HR73-6660	73MM	66.6MM
HR73-6710	73MM	67.1MM
HR73-7010	73MM	70.1MM
HR73-7030	73MM	70.3MM
HR73-7050	73MM	70.5MM
HR73-7160	73MM	71.6MM

74 Series

SUNSOUL code	O.D.	I.D.
HR74-5610	74MM	56.1MM
HR74-5710	74MM	57.1MM
HR74-6010	74MM	60.1MM
HR74-6390	74MM	63.9MM
HR74-6410	74MM	64.1MM
HR74-6610	74MM	66.1MM
HR74-6710	74MM	67.1MM
HR74-7010	74MM	70.1MM
HR74-7030	74MM	70.3MM
HR74-7160	74MM	71.6MM
HR74-7260	74MM	72.6MM

78 Series

SUNSOUL code	O.D.	I.D.
HR78-6610	78MM	66.1MM
HR78-6660	78MM	66.6MM

108 Series

SUNSOUL code	O.D.	I.D.
HR1080-6710	108MM	67.1MM
HR1080-7810	108MM	78.1MM
HR1080-1000	108MM	100MM

110 Series

SUNSOUL code	O.D.	I.D.
HR1110-5410	110MM	54.1MM
HR1110-6710	110MM	67.1MM
HR1110-7810	110MM	78.1MM

How to Install the Wheel Adapter



Wheel Nut



SUNSOUL code HEX19 HX21	OD mm	Height mm/inch	Thread	Surface
1002S 1002	21	35/1.38	7/16	Chrome or Black
1004S 1004			1/2	Chrome or Black
1006S 1006			12mm*1.25	Chrome or Black
1007S 1007			12mm*1.50	Chrome or Black
1009S 1009			14mm*1.50	Chrome or Black
1012S 1012			12mm*1.75	Chrome or Black



SUNSOUL code HEX19 HX21	OD mm	Height mm/inch	Thread	Surface
1702-LS 1702	22	35/1.38	7/16	Chrome or Black
1704-LS 1704			1/2	Chrome or Black
1705-LS 1705			10mm*1.25	Chrome or Black
1706-LS 1706			12mm*1.25	Chrome or Black
1707-LS 1707			12mm*1.50	Chrome or Black
1709-LS 1709			14mm*1.50	Chrome or Black
1710-LS 1710			14mm*2.00	Chrome or Black



SUNSOUL code HEX19 HX21	OD mm	Height mm/inch	Thread	Surface
1902S 1902	22	35/1.38	7/16	Chrome or Black
1904S 1904			1/2	Chrome or Black
1905S 1905			10mm*1.25	Chrome or Black
1906S 1906			12mm*1.25	Chrome or Black
1907S 1907			12mm*1.50	Chrome or Black
1909S 1909			14mm*1.50	Chrome or Black
1910S 1910			14mm*2.00	Chrome or Black



SUNSOUL code	Hex mm	Height mm/inch	Thread	Surface
1902XS-L49	17	35/1.38	7/16	Chrome or Black
1904XS-L49			1/2	Chrome or Black
1905XS-L49			10mm*1.25	Chrome or Black
1906XS-L49			12mm*1.25	Chrome or Black
1907XS-L49			12mm*1.50	Chrome or Black
1909XS-L49			14mm*1.50	Chrome or Black
1911XS-L49			14mm*2.00	Chrome or Black



SUNSOUL code	Hex mm	Height mm/inch	Thread	Surface
5302	21	37mm	7/16	Chrome or Black
5304			1/2	Chrome or Black
5305			10mm*1.25	Chrome or Black
5306			12mm*1.25	Chrome or Black
5307			12mm*1.50	Chrome or Black
5309			14mm*1.50	Chrome or Black
5310			14mm*2.00	Chrome or Black



SUNSOUL code	Hex mm	Height mm/inch	Thread	Surface
5302-47	21	47mm	7/16	Chrome or Black
5304-47			1/2	Chrome or Black
5305-47			10mm*1.25	Chrome or Black
5306-47			12mm*1.25	Chrome or Black
5307-47			12mm*1.50	Chrome or Black
5309-47			14mm*1.50	Chrome or Black
5310-47			14mm*2.00	Chrome or Black



SUNSOUL code HEX19 HX21	OD mm	Height mm/inch	Thread	Surface
1902S-PW 1902-PW	23	35/1.38	7/16	Chrome or Black
1904S-PW 1904-PW			1/2	Chrome or Black
1905S-PW 1905-PW			10mm*1.25	Chrome or Black
1906S-PW 1906-PW			12mm*1.25	Chrome or Black
1907S-PW 1907-PW			12mm*1.50	Chrome or Black
1909S-PW 1909-PW			14mm*1.50	Chrome or Black
1910S-PW 1910-PW			14mm*2.00	Chrome or Black



SUNSOUL code	Hex mm	Height mm/inch	Thread	Surface
5002	21	41/1.61	7/16	Chrome
5004			1/2	Chrome
5005			10mm*1.25	Chrome
5006			12mm*1.25	Chrome
5007			12mm*1.50	Chrome
5009			14mm*1.50	Chrome
5010			14mm*2.00	Chrome



SUNSOUL code	Hex mm	Height mm/inch	Thread	Surface
5002S	19	35/1.38	7/16	Chrome or Black
5004S			1/2	Chrome or Black
5005S			10mm*1.25	Chrome or Black
5006S			12mm*1.25	Chrome or Black
5007S			12mm*1.50	Chrome or Black
5009S			14mm*1.50	Chrome or Black
5010S			14mm*2.00	Chrome or Black



SUNSOUL code HEX19 HX21	OD mm	Height mm/inch	Thread	Surface
1302S 1302	20	16/0.63	7/16	Chrome or Zinc
1304S 1304			1/2	Chrome or Zinc
1305S 1305			10mm*1.25	Chrome or Zinc
1306S 1306			12mm*1.25	Chrome or Zinc
1307S 1307			12mm*1.50	Chrome or Zinc
1309S 1309			14mm*1.50	Chrome or Zinc
1310S 1310			14mm*2.00	Chrome or Zinc

Wheel Nut



SUNSOUL code HEX19 HX21	OD mm	Height mm/inch	Thread	Surface
1302-1S 1302-1	22	22/0.87	7/16	Chrome or Zinc
1303-1S 1303-1			3/8	Chrome or Zinc
1304-1S 1304-1			1/2	Chrome or Zinc
1305-1S 1305-1			10mm*1.25	Chrome or Zinc
1306-1S 1306-1			12mm*1.25	Chrome or Zinc
1307-1S 1307-1			12mm*1.50	Chrome or Zinc
1309-1S 1309-1			14mm*1.50	Chrome or Zinc
1310-1S 1310-1			14mm*2.00	Chrome or Zinc



SUNSOUL code	Hex mm	Height mm/inch	Thread	Surface
5102S	19	21	7/16	Chrome or Zinc
5104S			1/2	Chrome or Zinc
5105S			10mm*1.25	Chrome or Zinc
5106S			12mm*1.25	Chrome or Zinc
5107S			12mm*1.50	Chrome or Zinc
5109S			14mm*1.50	Chrome or Zinc
5110S			14mm*2.00	Chrome or Zinc








SUNSOUL code	Hex mm	Height mm/inch	Thread	Surface
3207	19	31	12mm*1.50	Chrome
3307	19	31	12mm*1.50	Chrome
5409	22	40	14mm*1.50	Chrome
3507	19	31	12mm*1.50	Chrome
4407-45	21	45	12mm*1.50	Chrome
4407-55	21	55	12mm*1.50	Chrome

SUNSOUL code	Hex mm	Height mm/inch	Thread	Surface
3207	19	31	12mm*1.50	Chrome
3307	19	31	12mm*1.50	Chrome
5409	22	40	14mm*1.50	Chrome
3507	19	31	12mm*1.50	Chrome
4407-45	21	45	12mm*1.50	Chrome
4407-55	21	55	12mm*1.50	Chrome

Wheel Lock Nut

6 Point Tuner Allen nut

Fit Key:2800
Height: 44mm is available



SUNSOUL code	OD mm	Height mm/inch	Thread	Surface Treatment
2802	20	32/1.26	7/16	Chrome or Black
2804			1/2	Chrome or Black
2805			10mm*1.25	Chrome or Black
2806			12mm*1.25	Chrome or Black
2807			12mm*1.50	Chrome or Black
2809			14mm*1.50	Chrome or Black
2810			14mm*2.00	Chrome or Black

8 Point Tuner Allen nut

Fit Key:2900
Height: 44mm is available



SUNSOUL code	OD mm	Height mm/inch	Thread	Surface Treatment
2902	20	32/1.26	7/16	Chrome or Black
2904			1/2	Chrome or Black
2905			10mm*1.25	Chrome or Black
2906			12mm*1.25	Chrome or Black
2907			12mm*1.50	Chrome or Black
2909			14mm*1.50	Chrome or Black
2910			14mm*2.00	Chrome or Black

Heptagon lock nut

Fit Key:3700



SUNSOUL code	Hex mm	Height mm/inch	Thread	Surface Treatment
3702	19	32/1.26	7/16	Chrome
3704			1/2	Chrome
3705			10mm*1.25	Chrome
3706			12mm*1.25	Chrome
3707			12mm*1.50	Chrome
3709			14mm*1.50	Chrome
3710			14mm*2.00	Chrome

6 point spline lock nut

Fit Key:3800 or 3800-B



SUNSOUL code	Hex mm	Height mm/inch	Thread	Surface Treatment
3802	20	35/1.38	7/16	Chrome or Zinc
3804			1/2	Chrome or Zinc
3805			10mm*1.25	Chrome or Zinc
3806			12mm*1.25	Chrome or Zinc
3807			12mm*1.50	Chrome or Zinc
3809			14mm*1.50	Chrome or Zinc
3810			14mm*2.00	Chrome or Zinc

5 Point spline open lock nut

Fit Key:3800 or 4800



SUNSOUL code	Hex mm	Height mm/inch	Thread	Surface Treatment
3802S	20	21/0.83	7/16	Chrome
3804S			1/2	Chrome
3805S			10mm*1.25	Chrome
3806S			12mm*1.25	Chrome
3807S			12mm*1.50	Chrome
3809S			14mm*1.50	Chrome
3810S			14mm*2.00	Chrome

6 Point spline open lock nut

Fit Key:3800 or 3800-B



SUNSOUL code	Hex mm	Height mm/inch	Thread	Surface Treatment
3802O	20	21/0.83	7/16	Chrome or Zinc
3804O			1/2	Chrome or Zinc
3805O			10mm*1.25	Chrome or Zinc
3806O			12mm*1.25	Chrome or Zinc
3807O			12mm*1.50	Chrome or Zinc
3809O			14mm*1.50	Chrome or Zinc
3810O			14mm*2.00	Chrome or Zinc

Wheel Lock Nut

6 Point spline lock nut
Fit Key:3800 or 3800-B



SUNSOUL code	Hex mm	Height mm/inch	Thread	Surface Treatment
3802X-CR	23	35/1.38	7/16	Chrome
3804X-CR			1/2	Chrome
3805X-CR			10mm*1.25	Chrome
3806X-CR			12mm*1.25	Chrome
3807X-CR			12mm*1.50	Chrome
3809X-CR			14mm*1.50	Chrome
3809X-CR			14mm*2.00	Chrome

7 Point spline lock nut
Fit Key:3800D or 3800DBK



SUNSOUL code	Hex mm	Height mm/inch	Thread	Surface Treatment
3802H-CR	23	43	7/16	Chrome
3804H-CR			1/2	Chrome
3805H-CR			10mm*1.25	Chrome
3806H-CR			12mm*1.25	Chrome
3807H-CR			12mm*1.50	Chrome
3809H-CR			14mm*1.50	Chrome
3809H-CR			14mm*2.00	Chrome

6 Point spline lock nut
Fit Key:3800 or 3800-B



SUNSOUL code	Hex mm	Height mm/inch	Thread	Surface Treatment
3802D	23	35/1.38	7/16	Chrome
3804D			1/2	Chrome
3805D			10mm*1.25	Chrome
3806D			12mm*1.25	Chrome
3807D			12mm*1.50	Chrome
3809D			14mm*1.50	Chrome
3810D			14mm*2.00	Chrome

7 Point spline lock nut
Fit Key:3800D or 3800DBK



SUNSOUL code	Hex mm	Height mm/inch	Thread	Surface Treatment
3802E	23	51/2.01	7/16	Chrome
3804E			1/2	Chrome
3805E			10mm*1.25	Chrome
3806E			12mm*1.25	Chrome
3807E			12mm*1.50	Chrome
3809E			14mm*1.50	Chrome
3810E			14mm*2.00	Chrome

7 Point spline lock nut
Fit Key:3800D or 3800DBK



SUNSOUL code	Hex mm	Height mm/inch	Thread	Surface Treatment
3802F-CR	23	35/1.38	7/16	Chrome
3804F-CR			1/2	Chrome
3805F-CR			10mm*1.25	Chrome
3806F-CR			12mm*1.25	Chrome
3807F-CR			12mm*1.50	Chrome
3809F-CR			14mm*1.50	Chrome
3809F-CR			14mm*2.00	Chrome

5 Point spline open lock nut
Fit Key:4800



SUNSOUL code	Hex mm	Height mm/inch	Thread	Surface Treatment
40200S	23	32	7/16	Chrome
40400S			1/2	Chrome
40500S			10mm*1.25	Chrome
40600S			12mm*1.25	Chrome
40700S			12mm*1.50	Chrome
40900S			14mm*1.50	Chrome
40100S			14mm*2.00	Chrome

5 Point Spline Lock nut with washer
Fit Key:4800



SUNSOUL code	Hex mm	Height mm/inch	Thread	Surface Treatment
40200S-PW	23	35/1.38	7/16	Chrome
40300S-PW			3/8	Chrome
40400S-PW			1/2	Chrome
40500S-PW			10mm*1.25	Chrome
40600S-PW			12mm*1.25	Chrome
40700S-PW			12mm*1.50	Chrome
40900S-PW			14mm*1.50	Chrome
40100S-PW			14mm*2.00	Chrome

5 Point Spline Lock nut with washer
Fit Key:4800



SUNSOUL code	Hex mm	Height mm/inch	Thread	Surface Treatment
45200	21	37mm	7/16	Chrome or Black
45300			1/2	Chrome or Black
45400			10mm*1.25	Chrome or Black
45600			12mm*1.25	Chrome or Black
45700			12mm*1.50	Chrome or Black
45900			14mm*1.50	Chrome or Black
45100			14mm*2.00	Chrome or Black

Inner 5 Flower Lock nut
Fit Key:5800



SUNSOUL code	Hex mm	Height mm/inch	Thread	Surface Treatment
42200	23	36/1.42	7/16	Chrome
42300			3/8	Chrome
42400			1/2	Chrome
42500			10mm*1.25	Chrome
42600			12mm*1.25	Chrome
42700			12mm*1.50	Chrome
42900			14mm*1.50	Chrome
43000			14mm*2.00	Chrome

8 Spinning flower lock
Fit Key:6800



SUNSOUL code	Hex mm	Height mm/inch	Thread	Surface Treatment
47200-L37	22	37/1.46	7/16	Chrome
47300-L37			3/8	Chrome
47400-L37			1/2	Chrome
47500-L37			10mm*1.25	Chrome
47600-L37			12mm*1.25	Chrome
47700-L37			12mm*1.50	Chrome
47900-L37			14mm*1.50	Chrome
48000-L37			14mm*2.00	Chrome

Spikes Lug nut

Hex Spike lug nut
Fit Key:8900



SUNSOUL code	Hex mm	Height mm/inch	Thread	Surface Treatment
6302	19	114/4.48	7/16	Chrome
6303			3/8	Chrome
6304			1/2	Chrome
6305			10mm*1.25	Chrome
6306			12mm*1.25	Chrome
6307			12mm*1.50	Chrome
6309			14mm*1.50	Chrome
6400			14mm*2.00	Chrome
6500			9/16	Chrome

Hex Spike lug nut
Fit Key:9000



SUNSOUL code	Hex mm	Height mm/inch	Thread	Surface Treatment
6302	19	152/5.98	7/16	Chrome
6303			3/8	Chrome
6304			1/2	Chrome
6305			10mm*1.25	Chrome
6306			12mm*1.25	Chrome
6307			12mm*1.50	Chrome
6309			14mm*1.50	Chrome
6400			14mm*2.00	Chrome
6500			9/16	Chrome

Spline Spike lug nut
Fit Key:8800



SUNSOUL code	Hex mm	Height mm/inch	Thread	Surface Treatment
47200	22	116/4.57	7/16	Chrome
47300			3/8	Chrome
47400			1/2	Chrome
47500			10mm*1.25	Chrome
47600			12mm*1.25	Chrome
47700			12mm*1.50	Chrome
47900			14mm*1.50	Chrome
48000			14mm*2.00	Chrome



Sunsoul Code	ID	OD	Height	Surface
WN-162811C	0.63"/16mm	1.1"/28mm	0.43"/11mm	Chrome
WN-162811B	0.63"/16mm	1.1"/28mm	0.43"/11mm	Black

Wrench Key



SUNSOUL code	Hex mm	Height mm/inch	Fit for
2800	19/21	62	6 Point Key
2800L	19/21	70	"6 Point KeyLonger"
2900	19/21	62	"9 Point KeyLonger"
4800	19/21	42	5 Flower Wrench
5800	19		Spinning Flower Wrench
6800	23		Inner 5 Flower key
7800	19/21		Washer Flower wrench



SUNSOUL code	Hex mm	Height mm/inch	Fit for
3800	19/21	89	"6 spline wrenchChrome"
3800B	19/21	89	"6 Spline WrenchBlack"
3800D	21/22	89	"7 Spine WrenchChrome"
3800DBK	21/22	89	7 Spine Wrench Black
8800		124	47400 Spline spike
8900		124	6302 Spike nut
9000	21/22	153	6302-L152 Spike nut

Lug Bolt



SUNSOUL code	Hex mm	Height mm/inch	Overall Length mm/inch	Thread	Seat
172406	17	24/0.95	51/2.01	12mm*1.25	60°
172407		24/0.95	51/2.01	12mm*1.50	60°
172409		24/0.95	51/2.01	14mm*1.50	60°
172806		28/1.10	55/2.17	12mm*1.25	60°
172807		28/1.10	55/2.17	12mm*1.50	60°
172809		28/1.10	55/2.17	14mm*1.50	60°
173306		33/1.30	60/2.36	12mm*1.25	60°
173307		33/1.30	60/2.36	12mm*1.50	60°
173309		33/1.30	60/2.36	14mm*1.50	60°
173906		39/1.54	66/2.60	12mm*1.25	60°
173907		39/1.54	66/2.60	12mm*1.50	60°
173909		39/1.54	66/2.60	14mm*1.50	60°

SUNSOUL code	Hex mm	Height mm/inch	Overall Length mm/inch	Thread	Seat
8172406	17	24/0.95	78/3.07	12mm*1.25	60°
8172407		24/0.95	78/3.07	12mm*1.50	60°
8172409		24/0.95	78/3.07	14mm*1.50	60°
8172806		28/1.10	78/3.07	12mm*1.25	60°
8172807		28/1.10	78/3.07	12mm*1.50	60°
8172809		28/1.10	78/3.07	14mm*1.50	60°
8173306		33/1.30	78/3.07	12mm*1.25	60°
8173307		33/1.30	78/3.07	12mm*1.50	60°
8173309		33/1.30	78/3.07	14mm*1.50	60°
8173309		33/1.30	78/3.07	14mm*1.50	60°

SUNSOUL code	Hex mm	Height mm/inch	Overall Length mm/inch	Thread	Seat
192406	19	24/0.95	51/2.01	12mm*1.25	60°
192407		24/0.95	51/2.01	12mm*1.50	60°
192409		24/0.95	51/2.01	14mm*1.50	60°
192806		28/1.10	55/2.17	12mm*1.25	60°
192807		28/1.10	55/2.17	12mm*1.50	60°
192809		28/1.10	55/2.17	14mm*1.50	60°
193306		33/1.30	60/2.36	12mm*1.25	60°
193307		33/1.30	60/2.36	12mm*1.50	60°
193309		33/1.30	60/2.36	14mm*1.50	60°
193906		39/1.54	66/2.60	12mm*1.25	60°
193907		39/1.54	66/2.60	12mm*1.50	60°
193909		39/1.54	66/2.60	14mm*1.50	60°
193909		39/1.54	66/2.60	14mm*1.50	60°
193909		39/1.54	66/2.60	14mm*1.50	60°
193909		39/1.54	66/2.60	14mm*1.50	60°



Wheel Stud

SUNSOUL code	O.D. mm	Thread Length mm	Overall Length mm	Thread	Plating
SD001	12.03	26~70	39~83	12*1.25	"Zinc/Dacromet/Black"
SD002	12.30	26~70	39~83	12*1.25	"Zinc/Dacromet/Black"
SD003	12.70	26~70	39~83	12*1.25	"Zinc/Dacromet/Black"
SD004	13.03	26~70	39~83	12*1.25	"Zinc/Dacromet/Black"
SD005	14.20	26~70	39~83	12*1.25	"Zinc/Dacromet/Black"
SD006	14.70	26~70	39~83	12*1.25	"Zinc/Dacromet/Black"
SD007	12.03	26~70	39~83	12*1.50	"Zinc/Dacromet/Black"
SD008	12.30	26~70	39~83	12*1.50	"Zinc/Dacromet/Black"
SD009	12.70	26~70	39~83	12*1.50	"Zinc/Dacromet/Black"
SD010	13.03	26~70	39~83	12*1.50	"Zinc/Dacromet/Black"
SD011	14.20	26~70	39~83	12*1.50	"Zinc/Dacromet/Black"
SD012	14.70	26~70	39~83	12*1.50	"Zinc/Dacromet/Black"
SD013	15.40	28~70	41~83	14*1.50	"Zinc/Dacromet/Black"
SD014	15.90	28~70	41~83	14*1.50	"Zinc/Dacromet/Black"
SD015	16.20	28~70	41~83	14*1.50	"Zinc/Dacromet/Black"

Lug Bolt



5 Point Spline lug bolt
Fit key:4800

SUNSOUL code	OD mm	Height mm/inch	Overall Length mm/inch	Thread	Seat
52406	22	24/0.95	51/2.01	12mm*1.25	60°
52407		24/0.95	51/2.01	12mm*1.50	60°
52409		24/0.95	51/2.01	14mm*1.50	60°
52806		28/1.10	55/2.17	12mm*1.25	60°
52807		28/1.10	55/2.17	12mm*1.50	60°
52809		28/1.10	55/2.17	14mm*1.50	60°
53306		33/1.30	60/2.36	12mm*1.25	60°
53307		33/1.30	60/2.36	12mm*1.50	60°
53309		33/1.30	60/2.36	14mm*1.50	60°
53906		39/1.54	66/2.60	12mm*1.25	60°
53907		39/1.54	66/2.60	12mm*1.50	60°
53909		39/1.54	66/2.60	14mm*1.50	60°

SUNSOUL code	OD mm	Height mm/inch	Overall Length mm/inch	Thread	Seat
62406SP	22	24/0.95	51/2.01	12mm*1.25	60°
62407SP		24/0.95	51/2.01	12mm*1.50	60°
62409SP		24/0.95	51/2.01	14mm*1.50	60°
62806SP		28/1.10	55/2.17	12mm*1.25	60°
62807SP		28/1.10	55/2.17	12mm*1.50	60°
62809SP		28/1.10	55/2.17	14mm*1.50	60°
63306SP		33/1.30	60/2.36	12mm*1.25	60°
63307SP		33/1.30	60/2.36	12mm*1.50	60°
63309SP		33/1.30	60/2.36	14mm*1.50	60°
63906SP		39/1.54	66/2.60	12mm*1.25	60°
63907SP		39/1.54	66/2.60	12mm*1.50	60°
63909SP		39/1.54	66/2.60	14mm*1.50	60°

SUNSOUL code	OD mm	Height mm/inch	Overall Length mm/inch	Thread	Seat
62406T	20	24/0.95	51/2.01	12mm*1.25	-
62407T		24/0.95	51/2.01	12mm*1.50	-
62409T		24/0.95	51/2.01	14mm*1.50	-
62806T		28/1.10	55/2.17	12mm*1.25	-
62807T		28/1.10	55/2.17	12mm*1.50	-
62809T		28/1.10	55/2.17	14mm*1.50	-
63306T		33/1.30	60/2.36	12mm*1.25	-
63307T		33/1.30	60/2.36	12mm*1.50	-
63309T		33/1.30	60/2.36	14mm*1.50	-
63906T		39/1.54	66/2.60	12mm*1.25	-
63907T		39/1.54	66/2.60	12mm*1.50	-
63909T		39/1.54	66/2.60	14mm*1.50	-
63909T		39/1.54	66/2.60	14mm*1.50	-
63909T		39/1.54	66/2.60	14mm*1.50	-
63909T		39/1.54	66/2.60	14mm*1.50	-



Lug Bolt

6 Point Spline lug bolt
Fit key:4800

SUNSOUL code	OD mm	Height mm/inch	Overall Length mm/inch	Thread	Seat
62406	22	24/0.95	51/2.01	12mm*1.25	60°
62407		24/0.95	51/2.01	12mm*1.50	60°
62409		24/0.95	51/2.01	14mm*1.50	60°
62806		28/1.10	55/2.17	12mm*1.25	60°
62807		28/1.10	55/2.17	12mm*1.50	60°
62809		28/1.10	55/2.17	14mm*1.50	60°
63306		33/1.30	60/2.36	12mm*1.25	60°
63307		33/1.30	60/2.36	12mm*1.50	60°
63309		33/1.30	60/2.36	14mm*1.50	60°
63906		39/1.54	66/2.60	12mm*1.25	60°
63907		39/1.54	66/2.60	12mm*1.50	60°
63909		39/1.54	66/2.60	14mm*1.50	60°

SUNSOUL code	OD mm	Height mm/inch	Overall Length mm/inch	Thread	Seat
72406	22	24/0.95	51/2.01	12mm*1.25	60°
72407		24/0.95	51/2.01	12mm*1.50	60°
72409		24/0.95	51/2.01	14mm*1.50	60°
72806		28/1.10	55/2.17	12mm*1.25	60°
72807		28/1.10	55/2.17	12mm*1.50	60°
72809		28/1.10	55/2.17	14mm*1.50	60°
73306		33/1.30	60/2.36	12mm*1.25	60°
73307		33/1.30	60/2.36	12mm*1.50	60°
73309		33/1.30	60/2.36	14mm*1.50	60°
73906		39/1.54	66/2.60	12mm*1.25	60°
73907		39/1.54	66/2.60	12mm*1.50	60°
73909		39/1.54	66/2.60	14mm*1.50	60°

Wheel Lock Nuts & Bolts

SUNSOUL code	Description	SUNSOUL code	Description
 SSLB001	4+1/KIT Chrome Fit for 4800 key	 SSLB002	4+1/KIT Chrome Fit for 3800 key
 SSLB003	4+1/KIT Chrome Fit for 2800 Key	 SSLN001	4+1/KIT Chrome Fit for 3800 key
 SSLN002	4+1/KIT Chrome Fit for 4800 key	 SSLN003	4+1/KIT Chrome Fit 2800 key
 SSLN004	4+1/KIT Chrome Fit 2900 key	 SSLN005	4+1/KIT Chrome Fit 3800 or 3800B key
 SSLN006	4+1/KIT Chrome Fit 4800 key	 SSLN007	4+1/KIT Chrome Fit for 7800 key
 SSLN008	4+1/KIT Chrome Fit 6800 key	 SSLN009	4+1/KIT Chrome Fit 5800 key
 SSLN010R	20+1/KIT Red Fit for 2800 key	 SSLN010BL	20+1/KIT Blur Fit for 2800 key
 SSLN010B	20+1/KIT Black Fit for 2800 key	 SSLN010Y	20+1/KIT Yellow Fit for 2800 key
 SSLN011R	20+1/KIT Red Fit for 3800B key	 SSLN011BR	20+1/KIT Red Fit for 3800B key
 SSLN011B	20+1/KIT Red Fit for 3800B key	 SSLN011C	20+1/KIT Red Fit for 3800B key

Aluminum Wheel Lock Nuts & Bolts


SUNSOUL code	OD mm	Height mm/inch	Overall Length mm/inch	Thread	Seat
72406T	20	24/0.95	51/2.01	12mm*1.25	-
72407T		24/0.95	51/2.01	12mm*1.50	-
72409T		24/0.95	51/2.01	14mm*1.50	-
72806T		28/1.10	55/2.17	12mm*1.25	-
72807T		28/1.10	55/2.17	12mm*1.50	-
72809T		28/1.10	55/2.17	14mm*1.50	-
73306T		33/1.30	60/2.36	12mm*1.25	-
73307T		33/1.30	60/2.36	12mm*1.50	-
73309T		33/1.30	60/2.36	14mm*1.50	-
73906T		39/1.54	66/2.60	12mm*1.25	-
73907T		39/1.54	66/2.60	12mm*1.50	-
73909T		39/1.54	66/2.60	14mm*1.50	-

SUNSOUL code	Description	SUNSOUL code	Description
 SSWN003AL	Hex: 19mm Height:50mm 20pcs/box	 SSWN002AL	Hex: 19mm Height:85mm 20pcs/box
 SSWN006AL	Hex: 19mm Height:87mm 20pcs/box	 SSWN005AL	Hex: 19mm Height:50mm 20pcs/box
 SSWN014AL	Hex: 19mm Height:35mm 20pcs/box	 SSWN013AL	Hex: 19mm Height:55mm 20pcs/box


Truck Wheel Nuts



SUNSOUL code	Description
GL-2301-27	Uni-Mount Flanged Nut,M22x1.5,SW32xH27
GL-2301-31	Uni-Mount Flanged Nut,M22x1.5,SW32xH31
GL-2900	Skirt Nut,M22x1.5,SW33xH35
SS58035	Skirted Sleeve Nut,28mm Sleeve
SS58036	Skirted Sleeve Nut,39mm Sleeve
SS4956	Dayton Stud,3/4"
SS4963	Dayton Nut,3/4"




Wheel Nut Cover Cap



SUNSOUL code	Black	Chrome	Height mm	Material
NWC717B	NWC717C			
NWC717B-4	NWC717C-4			
NWC717B-5	NWC717C-5			
NWC717B-16	NWC717C-16			
NWC717B-20	NWC717C-20			

Wheel Nut Cover Removal Tool



SUNSOUL code	Black	Chrome	Height mm	Material
NWC719B	NWC719C			
NWC719B-4	NWC719C-4			
NWC719B-5	NWC719C-5			
NWC719B-16	NWC719C-16			
NWC719B-20	NWC719C-20			



Retails Repair and Supplier



SUNSOUL Tire Repair Material Toolbox

Code: TRTB19-911



① Plastic tool box	② 1 tin 250ml Chemical Vulcanizing fluid # PRO- 8250B 1 tin 946ml Bead Sealer # TSG-797 1 tin 946ml Rubber Prep # LRC-946 1 tin 500ml Inner Liner Sealer # ILS-500	③ 1 box 2-Piece Uni-Seal Repair #9906 ● Injury size:6mm ● 60pcs/box 1 box Universal Round Repair Patch #SFR-57 ● Size:57mm ● 60 pcs/box 1 box Uni-Seal Ultra Repairs #466D-4.5 ● Injury size:4.5mm ● 24 pcs/box 1 box Uni-Seal Ultra Repairs #509D-6 ● Injury size:6.0mm ● 24 pcs/box	④ Non-slips Working Gloves
-----------------------	--	---	-------------------------------

SUNSOUL Tire Repair Material Toolbox

Code: TRTB19-917



① Plastic tool box	② 1 set Low Speed Air Die Grinder #AT-7070B ● Air Inlet: 1/4" ● Air Hose:3/8" ● Size:154*78 mm ● Weight:0.53kg ● Free Speed:2500-4000 rpm ● Capacity:6 mm ● AVG. Air Consumption:3.5SCFM ● Working Pressure: 90 Psi 1 Pair Non-slip working gloves	③ 1 set Reversible Air Drill #AT-4031 ● Air Inlet: 1/4" ● Air Hose: 3/8" ● Free Speed: 1800 r.p.m. ● Drilling Cap: 10mm ● AVG. Air Consumption 6 CFM ● Working Pressure 90 psi 1 pc 3/16" (4.5mm) Carbide Cutter #SSCB-345 ● Overall Length80mm ● Injury Size : ϕ 4.5mm 1 pc 7/32" (5.5 mm) Carbide Cutter #SSCB-346 ● Overall Length80mm ● Injury Size : ϕ 6mm	④ 1 pc Long Nose Pliers:6" 1 pc Skiving Knives:#RTK50-1 1 pc Black Spiral Cement Probe:# TRT04-2 1 pc Inner Liner Scraper: #ABT-14B 1 box Tire Marking Crayon:#TC-12W 1 pc Power-Awl with Injury Size Rings:#TRT08B 1 pc Power-Awl with Injury Size Rings:#TRT08C 1 pc nail pulling Remover: #NT-200 1 pc Patch Stitcher: T-15-6
-----------------------	---	---	---

Quilled Unit Puncture Repair Toolbox

Code: TRTB19-922



① Plastic tool box	② 1 tin 250ml Chemical Vulcanizing fluid # PRO- 8250B 1 tin 946ml Bead Sealer # TSG-797 1 tin 946ml Rubber Prep # LRC-946 1 tin 500ml Inner Liner Sealer # ILS-500	③ 1 box Uni-Seal Ultra Repairs #466D-4.5 ● Injury Size:6 mm ● 24 pcs/box 1 box Uni-Seal Ultra Repairs #354D-3 ● Injury Size: 3 mm ● 24 pcs/box 1 box Tire Marking Crayon: #TC-12W	④ Air Cleaner Gun: #FVG-300P ● Air inlet: 1/4' female ● Operating prssure:90 psi ● Air flow2.8CFM at 100psi ● Nylon material tube length:300mm Safety glasses
⑤ Cleaning Brush with brass bristles Stickle Back Probes: # TRT04-1R ● 1/4" Stickle Back Probe, 4" probe Stickle Back Probes: # TRT04-1RA ● 1/8" Stickle Back Probe, 3 5/8" probe Inner Liner Scraper: # ABT-14B ● Hoe Style Inner Liner Scraper Patch Stitcher: # T-15-6 ● 1/4"x1 1/2" Wood Handle Stitcher,6mm Probe Tool: # TRT08A ● Probe tool with screwdriver handle Spiral Cement Tool: # TRT10-2F ● ϕ 22mm Die-Casting Steel T-handle Black Probe, Heavy-Duty	⑥ Low Speed Air Buffer Pneumatic kit # AT-7070 ● 2500r.p.m. Buffing Wheel ● 2 1/2" Buffing Wheel,# SSS-1011 ● 3/8"(9.5 mm) Arbor hole, # SQC-0002 Cotton yarn Gloves: #SSNPG-01A		

Tyre Repair Toolbox

SUNSOUL Code:ABTK00



50pcs tire repair kit

1x Heavy-duty Zinc-Alloy T-handle insert tool
1x Heavy-duty Zinc-Alloy T-handle probe tool
2x Replacement tool
30x 4" Brown tire strings
6x TR414 tire valves
1x Plier
1x Jar of lubricant
2x Allen key
1x Tire Gauge
1x Knife
1x Valve Accessories in box
1x Gloves
1x Direction
1x Plastic box

SUNSOUL Code:ABTK01



33pcs tire repair kit

1x Heavy-duty Zinc-Alloy T-handle insert tool
1x Heavy-duty Zinc-Alloy T-handle probe tool
2x Replacement tool
20x 8" Brown tire strings
1x Plier
1x Jar of lubricant
2x Allen key
1x Tire Gauge
1x Knife
1x Valve Accessories in box
1x Plastic box
1x Direction

SUNSOUL Code:ABTK02



41 pcs tire repair kit

1x Heavy-duty Zinc-Alloy T-handle insert tool
1x Heavy-duty Zinc-Alloy T-handle probe tool
2x Replacement tool
30x 4" Brown tire strings
1x Plier
1x Jar of lubricant
2x Allen key
1x Knife
1x Plastic box
1x Direction

SUNSOUL Code:ABTK02A



42pcs tire repair kit

1x Heavy-duty Zinc-Alloy T-handle insert tool
1x Heavy-duty Zinc-Alloy T-handle probe tool
2x Replacement tool
30x 4" Brown tire strings
1x Plier
1x Jar of lubricant
2x Allen key
1x Tire Gauge
1x Knife
1x Plastic box
1x Direction

SUNSOUL Code:ABTK03



41pcs tire repair kit

1x Steel T-handle insert tool
1x Steel T-handle spiral probe cement tool
2x Replacement tool
30x 4" black tire strings
1x 12ml cement
1x Jar of lubricant
2x Allen key
1x Knife
1x Plastic box
1x Direction

SUNSOUL Code:ABTK03A



41pcs tire repair kit

1x Steel T-handle insert tool
1x Steel T-handle spiral probe cement tool
2x Replacement tool
30x 4" black tire strings
1x 12ml cement
1x Jar of lubricant
2x Allen key
1x Knife
1x Plastic box
1x Direction

SUNSOUL Code:ABTK10



23pcs Tire repair kit

1x Heavy-duty Zinc-Alloy T-handle insert tool
1x Heavy-duty Zinc-Alloy T-handle spiral probe cement tool
15x 4" black tire strings
1x 12ml rubber cement
1x Knife
1x allen key
1x adapter for tire repair tool
1x Plastic box
1x Direction

SUNSOUL Code:ABTK11



24pcs Tire repair kit

1x Heavy-duty Zinc-Alloy T-handle insert tool with adapter
1x Heavy-duty Zinc-Alloy T-handle spiral probe cement tool
15x 4" black tire strings
1x Lubricant
1x 4-Way valve core tool
2x Valve core
1x allen key
1x Nylon bag
1x Direction

Tyre Repair Toolbox



SUNSOUL Code:ABTK07

35pcs tire repair kit

- 4x tire valve core
- 4x chrome GT valve caps
- 1x Four Way tire valve core tool
- 4x black plastic valve caps
- 10x tire seals
- 1x Pencil tire gauge 10–50psi
- 1x 12ml rubber cement
- 5x 32mm round patches
- 1x metal scuffer
- 1x Screwdriver handle Rasper
- 1x Screwdriver handle Plugger
- 1x Plastic box
- 1x Direction



SUNSOUL Code:TRK-228

29pcs Motorcycle repair kit


- 1x Plastic T–handle insert tool
- 1x Plastic T–handle spiral probe cement tool
- 3x 16g CO2 Cylinder
- 1x Protector roll for CO2
- 1x 12ml rubber cement
- 1x Adapter for CO2
- 1x CO2 connection pipe
- 10x Brown tire strings,4"x3.5mm
- 5x Brown tire strings,4"x6mm
- 1x Knife
- 1x Plier
- 1x Nylon bag
- 1x Direction



SUNSOUL Code:ABTK09

52pcs tire repair kit

- 1x Plastic T–handle insert tool
- 1x Plastic T–handle spiral probe cement tool
- 12x Black tire strings,4"x4.5
- 10x Black tire strings 4"x3.5mm
- 1x Pencil tire gauge 10–50psi
- 1x Crayon
- 1x Knife
- 1x Four Way tire valve core tool
- 4x Valve cores
- 4x Tire valve caps
- 4x 45mm round universal patch
- 8x 38mm round universal patch
- 1x 12ml rubber cement
- 1x Plier
- 1x Plastic box
- 1x Direction



SUNSOUL Code:SC1603B

Co2 Cartridges Kit

- 3x 16g Co2
- 1x Protector for Co2
- 1x CO2 Air Valve
- 1x Plastic box



SUNSOUL Code:SC1603B

Co2 Cartridges Kit

- 3x 16g Co2
- 1x Protector for Co2
- 1x CO2 Aluminum Air Valve
- 1x Plastic box



SUNSOUL Code:SC1602

Co2 Cartridges Pack

- 20x CO2 Cylinders, 16g



SUNSOUL Code:TDS-11

Tire Deflators Set

- 4pcs tyre deflator
- 1pc Mini tire pressure gauge 0–50psi
- 1pc 4 Way tire valve core tool
- 1pc Green blow case
- 1pc Leather bag
- 1pc Direction



SUNSOUL Code:TPK-001

Tire Repair Kit

- 7x Round Cold Patch,30mm
- 2x Valve core
- 1x Metal Scuffer
- 1x Cement
- 1x Plastic box



SUNSOUL Code:TPK-002

Tire Repair Kit

- 4x Oval Cold Patch 34*24mm
- 2x Oval Cold Patch 50*32mm
- 2x Valve core
- 1x Metal Scuffer
- 1x Cement
- 1x Plastic box



SUNSOUL Code:TPK-003

Tire Repair Kit


- 4 x Cold Patch 20mm
- 2 x Cold Patch 25mm
- 2 x Tyre Lever
- 1x Metal Scuffer
- 1x Cement



SUNSOUL Code:TPK-004

Tire Repair Kit

- 8x Round Cold Patch,30mm
- 3x Tire Lever
- 2x Valve core tubing
- 1x Metal Scuffer
- 1xCement
- 1x Plastic box



SUNSOUL Code:TPK-005

Tire Repair Kit

- 4x Plastic valve cap
- 4x Metal valve cap
- 4x Valve core
- 1x 4 way valve tool
- 1x Tire gauge 50psi
- 1x Plastic box



SUNSOUL Code:TPK-006

Tire Repair Kit

- 6x Glueless Tire Patch
- 1x Sand Paper

DIY Tire Repair Kit



Code: TRK-01



Code: TRK-02



Code: TRK-03



Code: TRK-04



Code: TRK-05



Code: TRK-06



Code: TRK-20



Code: TRK-11



Code: TRK-17



Code: TRK007



Code: TRK007B



Code: TRK-009B




Code: TRK006




Code: TRK008


How to Use




1. Inspect tyre for excess damage, if repairable, remove foreign Object.




2. Insert the tyre reamer into the punctured tread at a slight angle then straighten the tool and push the tapered shaft in and out of the hole several times to expand and enlarge the broken steel cord.




3. Prepare the insertion needle by dipping the tip into the lubricant.




4. Place a repair strip through the hole in the insertion needle.




5. Make sure that the strip is fairly well centered in the shaft prior to installation.



6. Insert the strip into the hole and push straight down on the insert tool handle till the ends of the strip are sticking out of the tyre approximately 15mm.



7. Push down on the insertion tool's retaining collet to hold the repair strip in place, and lift handle to remove the needle out of the hole. Cut the exposed strip ends slightly above the tread.



8. Cut the tire seal



Carefully inate the tyre to its correct pressure. Spray the repaired area with soapy water and check that the and not leaking. Puncture is sealed and not leaking.

Retails Kits for Tire Repair



TR413K2
2xTire Valve TR413
Brass Stem,EPDM



TR418-K2
2XTire Valve TR418
Brass Stem,EPDM



VC8-B-K6
6XValve Cap
Plastic,Black



VC8-G-K6
6XValve Cap
Plastic,Green



GT-C-K5
5XValve Cap
Plastic with Chrome



GT-B-K5
5x Valve Cap
Aluminum,Black



SS-AVC-04BL
5x Valve Cap
Aluminum,Blue



SS-AVC-04B
5x Valve Cap
Aluminum,Black



SS-AVC-04S
5x Valve Cap
Aluminum,Sliver



SS-AVC-04R
5x Valve Cap
Aluminum,Red



9001-K4
4xValve Core
Brass,Black seal



VT21
1x 4-Way Valve tool
Steel with Zn plated



EX19M-K4
4xValve Extender
Brass,19mm



EX32M-K4
4xValve Extender
Brass,32mm



AB002P
1xTire Thread Gauge
Range:0-25mm

Retails Kits for Tire Repair



ZQ0422-K5
5xTire Seal
5x Tire seal,4"x6mm



ABTK010
12xTire Repair Kit
7x Tire Patches,30mm
1x Cement,12ml
1x Metal rasp
2x Valve cores
1x Plastic box



TVRK-010
15x Tire Repair Kit
4x Valve cores
1x Four way valve tool
4x Plastic chrome caps
4x Plastic black caps
1x Mini tire gauge
1x Plastic box



ZQ1002-K2
2X Rubber Cement
Rubber cement,12ml



ABT-5219
1x Tire gauge 0-100psi
4x Plastic Valave cap



ABTG-8116
1xTire Gauge
0-100 psi



ABT-4268
1xTire Gauge
0-60 psi



ABTG-1160
1xTire Gauge
0-100 psi



ABT-5268B
1xTire Gauge
0-60 psi



Code:T-17P



Code:VT-31P



Code:VT-02



Code:VT-32



Code: TMPT-18



Code:IG-02M