



Catalogue 2018

Acorn nut



SUNSOUL code	Hex mm	Height mm/inch	Thread
1002	21	35/1.38	7/16
1004	21	35/1.38	1/2
1006	21	35/1.38	12mm*1.25
1007	21	35/1.38	12mm*1.50
1009	21	35/1.38	14mm*1.50
1012	21	35/1.38	12mm*1.75

P.S.: Height of 27mm,32mm,40mm,44mm,48mm available

SUNSOUL code	Hex mm	Height mm/inch	Thread
1002S	19	35/1.38	7/16
1004S	19	35/1.38	1/2
1006S	19	35/1.38	12mm*1.25
1007S	19	35/1.38	12mm*1.50
1009S	19	35/1.38	14mm*1.50
1012S	19	35/1.38	12mm*1.75

P.S.: Height of 27mm,37mm,42mm,45mm,48mm available

SUNSOUL code	Hex mm	Height mm/inch	Thread
1002XS	17	45/1.77	7/16
1003XS	17	45/1.77	3/8
1004XS	17	45/1.77	1/2
1005XS	17	45/1.77	10*1.25
1006XS	17	45/1.77	12mm*1.25
1007XS	17	45/1.77	12mm*1.50
1009XS			14mm*1.50
1010XS			14mm*2.00

P.S.: Height of 27mm,37mm,42mm,45mm,48mm available

Bulge Acorn nut



SUNSOUL code	Hex mm	Height mm/inch	Thread
1702	21	35/1.38	7/16
1703	21	35/1.38	3/8
1704	21	35/1.38	1/2
1705	21	35/1.38	10mm*1.25
1706	21	35/1.38	12mm*1.25
1707	21	35/1.38	12mm*1.50
1709	21	35/1.38	14mm*1.50
1710	21	35/1.38	14mm*2.00

P.S.: Height of 48mm available

SUNSOUL code	Hex mm	Height mm/inch	Thread
1702-LS	19	35/1.38	7/16
1703-LS	19	35/1.38	3/8
1704-LS	19	35/1.38	1/2
1705-LS	19	35/1.38	10mm*1.25
1706-LS	19	35/1.38	12mm*1.25
1707-LS	19	35/1.38	12mm*1.50
1709-LS	19	35/1.38	14mm*1.50
1710-LS	19	35/1.38	14mm*2.00

P.S.: Height of 54mm available

SUNSOUL code	Hex mm	Height mm/inch	Thread
1702SR	19	35/1.38	7/16
1703SR	19	35/1.38	3/8
1704SR	19	35/1.38	1/2
1705SR	19	35/1.38	10mm*1.25
1706SR	19	35/1.38	12mm*1.25
1707SR	19	35/1.38	12mm*1.50
1709SR	19	35/1.38	14mm*1.50
1710SR	19	35/1.38	14mm*2.00

P.S.: Ball seat type

Bulge Acorn nut



SUNSOUL code	Hex mm	Height mm/inch	Thread
1902	21	35/1.38	7/16
1903	21	35/1.38	3/8
1904	21	35/1.38	1/2
1905	21	35/1.38	10mm*1.25
1906	21	35/1.38	12mm*1.25
1907	21	35/1.38	12mm*1.50
1909	21	35/1.38	14mm*1.50
1910	21	35/1.38	14mm*2.00

P.S.: Height of 27mm,44mm available

SUNSOUL code	Hex mm	Height mm/inch	Thread
1902S	19	35/1.38	7/16
1903S	19	35/1.38	3/8
1904S	19	35/1.38	1/2
1905S	19	35/1.38	10mm*1.25
1906S	19	35/1.38	12mm*1.25
1907S	19	35/1.38	12mm*1.50
1909S	19	35/1.38	14mm*1.50
1910S	19	35/1.38	14mm*2.00

P.S.: Height of 27mm,44mm available

SUNSOUL code	Hex mm	Height mm/inch	Thread
1902SR	19	35/1.38	7/16
1903SR	19	35/1.38	3/8
1904SR	19	35/1.38	1/2
1905SR	19	35/1.38	10mm*1.25
1906SR	19	35/1.38	12mm*1.25
1907SR	19	35/1.38	12mm*1.50
1909SR	19	35/1.38	14mm*1.50
1910SR	19	35/1.38	14mm*2.00

P.S.: Ball Seat type

Bulge Acorn nut



SUNSOUL code	Hex mm	Height mm/inch	Thread
1902-PW	21	35/1.38	7/16
1903-PW	21	35/1.38	3/8
1904-PW	21	35/1.38	1/2
1905-PW	21	35/1.38	10mm*1.25
1906-PW	21	35/1.38	12mm*1.25
1907-PW	21	35/1.38	12mm*1.50
1909-PW	21	35/1.38	14mm*1.50
1910-PW	21	35/1.38	14mm*2.00

SUNSOUL code	Hex mm	Height mm/inch	Thread
1902S-PW	19	35/1.38	7/16
1903S-PW	19	35/1.38	3/8
1904S-PW	19	35/1.38	1/2
1905S-PW	19	35/1.38	10mm*1.25
1906S-PW	19	35/1.38	12mm*1.25
1907S-PW	19	35/1.38	12mm*1.50
1909S-PW	19	35/1.38	14mm*1.50
1910S-PW	19	35/1.38	14mm*2.00

SUNSOUL code	Hex mm	Height mm/inch	Thread
1902T-PW	22	40/1.57	7/16
1903T-PW	22	40/1.57	3/8
1904T-PW	22	40/1.57	1/2
1905T-PW	22	40/1.57	10mm*1.25
1906T-PW	22	40/1.57	12mm*1.25
1907T-PW	22	40/1.57	12mm*1.50
1909T-PW	22	40/1.57	14mm*1.50
1910T-PW	22	40/1.57	14mm*2.00

Open-End Nut



HEX 21



HEX 19



HEX 17

SUNSOUL code	Hex mm	Height mm/inch	Thread
1302	21	16/0.63	7/16
1303	21	16/0.63	3/8
1304	21	16/0.63	1/2
1305	21	16/0.63	10mm*1.25
1306	21	16/0.63	12mm*1.25
1307	21	16/0.63	12mm*1.50
1309	21	16/0.63	14mm*1.50
1310	21	16/0.63	14mm*2.00

SUNSOUL code	Hex mm	Height mm/inch	Thread
1302S	19	16/0.63	7/16
1303S	19	16/0.63	3/8
1304S	19	16/0.63	1/2
1305S	19	16/0.63	10mm*1.25
1306S	19	16/0.63	12mm*1.25
1307S	19	16/0.63	12mm*1.50
1309S	19	16/0.63	14mm*1.50
1310S	19	16/0.63	14mm*2.00

SUNSOUL code	Hex mm	Height mm/inch	Thread
1302XS	17	16/0.63	7/16
1303XS	17	16/0.63	3/8
1304XS	17	16/0.63	1/2
1305XS	17	16/0.63	10mm*1.25
1306XS	17	16/0.63	12mm*1.25
1307XS	17	16/0.63	12mm*1.50
1309XS	17	16/0.63	14mm*1.50
1310XS	17	16/0.63	14mm*2.00

P.S.: Height of 11mm available

Open-End Nut



SUNSOUL code	Hex mm	Height mm/inch	Thread
1302-1	21	22/0.87	7/16
1303-1	21	22/0.87	3/8
1304-1	21	22/0.87	1/2
1305-1	21	22/0.87	10mm*1.25
1306-1	21	22/0.87	12mm*1.25
1307-1	21	22/0.87	12mm*1.50
1309-1	21	22/0.87	14mm*1.50
1310-1	21	22/0.87	14mm*2.00

P.S.: Height of 25mm available

SUNSOUL code	Hex mm	Height mm/inch	Thread
1302-1S	19	21/0.83	7/16
1303-1S	19	21/0.83	3/8
1304-1S	19	21/0.83	1/2
1305-1S	19	21/0.83	10mm*1.25
1306-1S	19	21/0.83	12mm*1.25
1307-1S	19	21/0.83	12mm*1.50
1309-1S	19	21/0.83	14mm*1.50
1310-1S	19	21/0.83	14mm*2.00

P.S.: Height of 25mm,30mm available

SUNSOUL code	Hex mm	Height mm/inch	Thread
1302-1XS	17	21/0.83	7/16
1303-1XS	17	21/0.83	3/8
1304-1XS	17	21/0.83	1/2
1305-1XS	17	21/0.83	10mm*1.25
1306-1XS	17	21/0.83	12mm*1.25
1307-1XS	17	21/0.83	12mm*1.50
1309-1XS	17	21/0.83	14mm*1.50
1310-1XS	17	21/0.83	14mm*2.00

P.S.: Height of 25mm available

Open-End Nut



HEX 19



HEX 17



HEX 17

SUNSOUL code	Hex mm	Height mm/inch	Thread
1302-1SR	19	22/0.87	7/16
1303-1SR	19	22/0.87	3/8
1304-1SR	19	22/0.87	1/2
1305-1SR	19	22/0.87	10mm*1.25
1306-1SR	19	22/0.87	12mm*1.25
1307-1SR	19	22/0.87	12mm*1.50
1309-1SR	19	22/0.87	14mm*1.50
1310-1SR	19	22/0.87	14mm*2.00

SUNSOUL code	Hex mm	Height mm/inch	Thread
1302-1XSR	17	22/0.87	7/16
1303-1XSR	17	22/0.87	3/8
1304-1XSR	17	22/0.87	1/2
1305-1XSR	17	22/0.87	10mm*1.25
1306-1XSR	17	22/0.87	12mm*1.25
1307-1XSR	17	22/0.87	12mm*1.50
1309-1XSR	17	22/0.87	14mm*1.50
1310-1XSR	17	22/0.87	14mm*2.00

SUNSOUL code	Hex mm	Height mm/inch	Thread
1302-2XS	17	25/0.98	7/16
1303-2XS	17	25/0.98	3/8
1304-2XS	17	25/0.98	1/2
1305-2XS	17	25/0.98	10mm*1.25
1306-2XS	17	25/0.98	12mm*1.25
1307-2XS	17	25/0.98	12mm*1.50
1309-2XS	17	25/0.98	14mm*1.50
1310-2XS	17	25/0.98	14mm*2.00

Mag Nut



SUNSOUL code	Hex mm	Height mm/inch	Thread
5002	21	41/1.61	7/16
5003	21	41/1.61	3/8
5004	21	41/1.61	1/2
5005	21	41/1.61	10mm*1.25
5006	21	41/1.61	12mm*1.25
5007	21	41/1.61	12mm*1.50
5009	21	41/1.61	14mm*1.50
5010	21	41/1.61	14mm*2.00

P.S.: Height of 38mm ,46mm available

SUNSOUL code	Hex mm	Height mm/inch	Thread
5002B	21	41/1.61	7/16
5003B	21	41/1.61	3/8
5004B	21	41/1.61	1/2
5005B	21	41/1.61	10mm*1.25
5006B	21	41/1.61	12mm*1.25
5007B	21	41/1.61	12mm*1.50
5009B	21	41/1.61	14mm*1.50
5010B	21	41/1.61	14mm*2.00

P.S.: Height of 38mm available

SUNSOUL code	Hex mm	Height mm/inch	Thread
5002O	21	41/1.61	7/16
5003O	21	41/1.61	3/8
5004O	21	41/1.61	1/2
5005O	21	41/1.61	10mm*1.25
5006O	21	41/1.61	12mm*1.25
5007O	21	41/1.61	12mm*1.50
5009O	21	41/1.61	14mm*1.50
5010O	21	41/1.61	14mm*2.00

Mag Nut



HEX 21



HEX 19



HEX 21

SUNSOUL code	Hex mm	Height mm/inch	Thread
5102	21	37	7/16
5103	21	37	3/8
5104	21	37	1/2
5105	21	37	10mm*1.25
5106	21	37	12mm*1.25
5107	21	37	12mm*1.50
5109	21	37	14mm*1.50
5110	21	37	14mm*2.00

SUNSOUL code	Hex mm	Height mm/inch	Thread
5202	19	37/1.46	7/16
5203	19	37/1.46	3/8
5204	19	37/1.46	1/2
5205	19	37/1.46	10mm*1.25
5206	19	37/1.46	12mm*1.25
5207	19	37/1.46	12mm*1.50
5209	19	37/1.46	14mm*1.50
5210	19	37/1.46	14mm*2.00

SUNSOUL code	Hex mm	Height mm/inch	Thread
51020	21	25/0.98	7/16
51030	21	25/0.98	3/8
51040	21	25/0.98	1/2
51050	21	25/0.98	10mm*1.25
51060	21	25/0.98	12mm*1.25
51070	21	25/0.98	12mm*1.50
51090	21	25/0.98	14mm*1.50
51100	21	25/0.98	14mm*2.00

P.S.: Height of 20mm available

Mag Nut



SUNSOUL code	Hex mm	Height mm/inch	Thread
5302	21	37	7/16
5303	21	37	3/8
5304	21	37	1/2
5305	21	37	10mm*1.25
5306	21	37	12mm*1.25
5307	21	37	12mm*1.50
5309	21	37	14mm*1.50
5310	21	37	14mm*2.00

P.S.: Height of 42mm,47mm,58mm available

SUNSOUL code	Hex mm	Height mm/inch	Thread
5302TL	22	47/1.85	7/16
5303TL	22	47/1.85	3/8
5304TL	22	47/1.85	1/2
5305TL	22	47/1.85	10mm*1.25
5306TL	22	47/1.85	12mm*1.25
5307TL	22	47/1.85	12mm*1.50
5309TL	22	47/1.85	14mm*1.50
5310TL	22	47/1.85	14mm*2.00

SUNSOUL code	Hex mm	Height mm/inch	Thread
5302A	21	47/1.85	7/16
5303A	21	47/1.85	3/8
5304A	21	47/1.85	1/2
5305A	21	47/1.85	10mm*1.25
5306A	21	47/1.85	12mm*1.25
5307A	21	47/1.85	12mm*1.50
5309A	21	47/1.85	14mm*1.50
5310A	21	47/1.85	14mm*2.00

P.S.: Height of 37mm,40mm,51mm available

6 point Tuner



SUNSOUL code	Hex mm	Height mm/inch	Thread
2802	20	32/1.26	7/16
2803	20	32/1.26	3/8
2804	20	32/1.26	1/2
2805	20	32/1.26	10mm*1.25
2806	20	32/1.26	12mm*1.25
2807	20	32/1.26	12mm*1.50
2809	20	32/1.26	14mm*1.50
2810	20	32/1.26	14mm*2.00

P.S.: Black, Red and Blue color available, fit 2800 key

SUNSOUL code	Hex mm	Height mm/inch	Thread
2802-L44	20	44/1.73	7/16
2803-L44	20	44/1.73	3/8
2804-L44	20	44/1.73	1/2
2805-L44	20	44/1.73	10mm*1.25
2806-L44	20	44/1.73	12mm*1.25
2807-L44	20	44/1.73	12mm*1.50
2809-L44	20	44/1.73	14mm*1.50
2810-L44	20	44/1.73	14mm*2.00

P.S.: Black, Red and Blue color available, fit 2800L key

SUNSOUL code	Hex mm	Height mm/inch	Thread
2802P-L44	20	44/1.73	7/16
2803P-L44	20	44/1.73	3/8
2804P-L44	20	44/1.73	1/2
2805P-L44	20	44/1.73	10mm*1.25
2806P-L44	20	44/1.73	12mm*1.25
2807P-L44	20	44/1.73	12mm*1.50
2809P-L44	20	44/1.73	14mm*1.50
2810P-L44	20	44/1.73	14mm*2.00

P.S.: Black, Red and Blue color available, fit 2900 key

6 point Spline



SUNSOUL code	Hex mm	Height mm/inch	Thread
3802	20	35/1.38	7/16
3803	20	35/1.38	3/8
3804	20	35/1.38	1/2
3805	20	35/1.38	10mm*1.25
3806	20	35/1.38	12mm*1.25
3807	20	35/1.38	12mm*1.50
3809	20	35/1.38	14mm*1.50
3810	20	35/1.38	14mm*2.00

P.S.: Black, Red and Blue color available, fit 3800 key

SUNSOUL code	Hex mm	Height mm/inch	Thread
38020	20	21/0.83	7/16
38030	20	21/0.83	3/8
38040	20	21/0.83	1/2
38050	20	21/0.83	10mm*1.25
38060	20	21/0.83	12mm*1.25
38070	20	21/0.83	12mm*1.50
38090	20	21/0.83	14mm*1.50
38100	20	21/0.83	14mm*2.00

P.S.: fit 3800-B key

SUNSOUL code	Hex mm	Height mm/inch	Thread
3802X	20	41/1.61	7/16
3803X	20	41/1.61	3/8
3804X	20	41/1.61	1/2
3805X	20	41/1.61	10mm*1.25
3806X	20	41/1.61	12mm*1.25
3807X	20	41/1.61	12mm*1.50
3809X	20	41/1.61	14mm*1.50
3810X	20	41/1.61	14mm*2.00

P.S.: fit 3800-B key

7 point Spline



SUNSOUL code	Hex mm	Height mm/inch	Thread
3802O-R	20	21/0.83	7/16
3803O-R	20	21/0.83	3/8
3804O-R	20	21/0.83	1/2
3805O-R	20	21/0.83	10mm*1.25
3806O-R	20	21/0.83	12mm*1.25
3807O-R	20	21/0.83	12mm*1.50
3809O-R	20	21/0.83	14mm*1.50
3810O-R	20	21/0.83	14mm*2.00

P.S.: fit 3800-B key

SUNSOUL code	Hex mm	Height mm/inch	Thread
3802D	23	35/1.38	7/16
3803D	23	35/1.38	3/8
3804D	23	35/1.38	1/2
3805D	23	35/1.38	10mm*1.25
3806D	23	35/1.38	12mm*1.25
3807D	23	35/1.38	12mm*1.50
3809D	23	35/1.38	14mm*1.50
3810D	23	35/1.38	14mm*2.00

Black color and height of 44mm,51mm available,fit 3800D key

SUNSOUL code	Hex mm	Height mm/inch	Thread
3802OD	23	25/0.98	7/16
3803OD	23	25/0.98	3/8
3804OD	23	25/0.98	1/2
3805OD	23	25/0.98	10mm*1.25
3806OD	23	25/0.98	12mm*1.25
3807OD	23	25/0.98	12mm*1.50
3809OD	23	25/0.98	14mm*1.50
3810OD	23	25/0.98	14mm*2.00

P.S.: fit 3800D or 3800DBK key

5 Flower Lock



SUNSOUL code	Hex mm	Height mm/inch	Thread
40200S	23	32/1.26	7/16
40300S	23	32/1.26	3/8
40400S	23	32/1.26	1/2
40500S	23	32/1.26	10mm*1.25
40600S	23	32/1.26	12mm*1.25
40700S	23	32/1.26	12mm*1.50
40900S	23	32/1.26	14mm*1.50
40100S	23	32/1.26	14mm*2.00

P.S.: Red,Blue color and height of 44mm,51mm is available,fit 4800 key

SUNSOUL code	Hex mm	Height mm/inch	Thread
40200S-PW	23	35/1.38	7/16
40300S-PW	23	35/1.38	3/8
40400S-PW	23	35/1.38	1/2
40500S-PW	23	35/1.38	10mm*1.25
40600S-PW	23	35/1.38	12mm*1.25
40700S-PW	23	35/1.38	12mm*1.50
40900S-PW	23	35/1.38	14mm*1.50
40100S-PW	23	35/1.38	14mm*2.00

P.S.: Black color is available,fit 3700 key

Heptagon



SUNSOUL code	Hex mm	Height mm/inch	Thread
3702	19	32/1.26	7/16
3703	19	32/1.26	3/8
3704	19	32/1.26	1/2
3705	19	32/1.26	10mm*1.25
3706	19	32/1.26	12mm*1.25
3707	19	32/1.26	12mm*1.50
3709	19	32/1.26	14mm*1.50
3710	19	32/1.26	14mm*2.00

P.S.: Blue,Red colorful is available



SUNSOUL code	Hex mm	Height mm/inch	Thread
3702N	19	32/1.26	7/16
3703N	19	32/1.26	3/8
3704N	19	32/1.26	1/2
3705N	19	32/1.26	10mm*1.25
3706N	19	32/1.26	12mm*1.25
3707N	19	32/1.26	12mm*1.50
3709N	19	32/1.26	14mm*1.50
3710N	19	32/1.26	14mm*2.00

P.S.: Blue,Red color is available

Inner Flower Lock



Inner Flower Lock



Heptagon



SUNSOUL code	Hex mm	Height mm/inch	Thread
40200	23	31/1.22	7/16
40300	23	31/1.22	3/8
40400	23	31/1.22	1/2
40500	23	31/1.22	10mm*1.25
40600	23	31/1.22	12mm*1.25
40700	23	31/1.22	12mm*1.50
40900	23	31/1.22	14mm*1.50
41000	23	31/1.22	14mm*2.00

P.S.: fit 5800 key

SUNSOUL code	Hex mm	Height mm/inch	Thread
42200	23	36/1.42	7/16
42300	23	36/1.42	3/8
42400	23	36/1.42	1/2
42500	23	36/1.42	10mm*1.25
42600	23	36/1.42	12mm*1.25
42700	23	36/1.42	12mm*1.50
42900	23	36/1.42	14mm*1.50
43000	23	36/1.42	14mm*2.00

P.S.: fit 5800 key

SUNSOUL code	Hex mm	Height mm/inch	Thread
44200	23	38/1.50	7/16
44300	23	38/1.50	3/8
44400	23	38/1.50	1/2
44500	23	38/1.50	10mm*1.25
44600	23	38/1.50	12mm*1.25
44700	23	38/1.50	12mm*1.50
44900	23	38/1.50	14mm*1.50
45000	23	38/1.50	14mm*2.00

P.S.: Height of 48mm available, fit 5800 key

Washer lock



SUNSOUL code	Hex mm	Height mm/inch	Thread
45200	20	37/1.46	7/16
45300	20	37/1.46	3/8
45400	20	37/1.46	1/2
45500	20	37/1.46	10mm*1.25
45600	20	37/1.46	12mm*1.25
45700	20	37/1.46	12mm*1.50
45900	20	37/1.46	14mm*1.50
46000	20	37/1.46	14mm*2.00

P.S.: fit 6800 key

Spinning lock



SUNSOUL code	Hex mm	Height mm/inch	Thread
46200		38/1.50	7/16
46300		38/1.50	3/8
46400		38/1.50	1/2
46500		38/1.50	10mm*1.25
46600		38/1.50	12mm*1.25
46700		38/1.50	12mm*1.50
46900		38/1.50	14mm*1.50
47000		38/1.50	14mm*2.00

P.S.: fit 6800 key

Key Adapter

轮胎轮毂配件

Tire & Wheel Service



SUNSOUL code	Hex mm	Height mm/inch	Fit for
--------------	--------	----------------	---------

2800	19/21	62	6 Point Key
------	-------	----	-------------



SUNSOUL code	Hex mm	Height mm/inch	Fit for
--------------	--------	----------------	---------

2800L	19/21	70	6 Point Key Longer
-------	-------	----	--------------------



SUNSOUL code	Hex mm	Height mm/inch	Fit for
--------------	--------	----------------	---------

2900	19/21	62	9 Point Key Longer
------	-------	----	--------------------




SUNSOUL code	Hex mm	Height mm/inch	Fit for
--------------	--------	----------------	---------


3800	19/21	89	6 spline wrench
------	-------	----	-----------------

Key Adapter


轮胎轮毂配件

Tire & Wheel Service

SUNSOUL code	Hex mm	Height mm/inch	Fit for
 3800B	19/21	89	6 Spline Wrench

SUNSOUL code	Hex mm	Height mm/inch	Fit for
 3800D	21/22	89	7 Spline Wrench


SUNSOUL code	Hex mm	Height mm/inch	Fit for
 3800DBK	21/22	89	7 Spline Wrench Black


SUNSOUL code	Hex mm	Height mm/inch	Fit for
 4800	19/21	42	5 Flower Wrench


Key Adapter

轮胎轮毂配件

Tire & Wheel Service

SUNSOUL code	Hex mm	Height mm/inch	Fit for
	5800	19	7 Flower key

SUNSOUL code	Hex mm	Height mm/inch	Fit for
	6800	19	Spinning Flower Wrench

SUNSOUL code	Hex mm	Height mm/inch	Fit for
	7800	19/21	Washer Flower wrench

Lug Bolt



SUNSOUL code	Hex mm	Height mm/inch	Overall Length	Thread	Seat
172406	17	24/0.95	51/2.01	12mm*1.25	60°
172407	17	24/0.95	51/2.01	12mm*1.50	60°
172409	17	24/0.95	51/2.01	14mm*1.50	60°
172806	17	28/1.10	55/2.17	12mm*1.25	60°
172807	17	28/1.10	55/2.17	12mm*1.50	60°
172809	17	28/1.10	55/2.17	14mm*1.50	60°
173306	17	33/1.30	60/2.36	12mm*1.25	60°
173307	17	33/1.30	60/2.36	12mm*1.50	60°
173309	17	33/1.30	60/2.36	14mm*1.50	60°
173906	17	39/1.54	66/2.60	12mm*1.25	60°
173907	17	39/1.54	66/2.60	12mm*1.50	60°
173909	17	39/1.54	66/2.60	14mm*1.50	60°

SUNSOUL code	Hex mm	Height mm/inch	Overall Length mm/inch	Thread	Seat
172406R	17	24/0.95	51/2.01	12mm*1.25	R
172407R	17	24/0.95	51/2.01	12mm*1.50	R
172409R	17	24/0.95	51/2.01	14mm*1.50	R
172806R	17	28/1.10	55/2.17	12mm*1.25	R
172807R	17	28/1.10	55/2.17	12mm*1.50	R
172809R	17	28/1.10	55/2.17	14mm*1.50	R
173306R	17	33/1.30	60/2.36	12mm*1.25	R
173307R	17	33/1.30	60/2.36	12mm*1.50	R
173309R	17	33/1.30	60/2.36	14mm*1.50	R
173906R	17	39/1.54	66/2.60	12mm*1.25	R
173907R	17	39/1.54	66/2.60	12mm*1.50	R
173909R	17	39/1.54	66/2.60	14mm*1.50	R

Lug Bolt



SUNSOUL code	Hex mm	Height mm/inch	Overall Length	Thread	Seat
192406	19	24/0.95	51/2.01	12mm*1.25	60°
192407	19	24/0.95	51/2.01	12mm*1.50	60°
192409	19	24/0.95	51/2.01	14mm*1.50	60°
192806	19	28/1.10	55/2.17	12mm*1.25	60°
192807	19	28/1.10	55/2.17	12mm*1.50	60°
192809	19	28/1.10	55/2.17	14mm*1.50	60°
193306	19	33/1.30	60/2.36	12mm*1.25	60°
193307	19	33/1.30	60/2.36	12mm*1.50	60°
193309	19	33/1.30	60/2.36	14mm*1.50	60°
193906	19	39/1.54	66/2.60	12mm*1.25	60°
193907	19	39/1.54	66/2.60	12mm*1.50	60°
193909	19	39/1.54	66/2.60	14mm*1.50	60°

SUNSOUL code	Hex mm	Height mm/inch	Overall Length mm/inch	Thread	Seat
192406R	19	24/0.95	51/2.01	12mm*1.25	R
192407R	19	24/0.95	51/2.01	12mm*1.50	R
192409R	19	24/0.95	51/2.01	14mm*1.50	R
192806R	19	28/1.10	55/2.17	12mm*1.25	R
192807R	19	28/1.10	55/2.17	12mm*1.50	R
192809R	19	28/1.10	55/2.17	14mm*1.50	R
193306R	19	33/1.30	60/2.36	12mm*1.25	R
193307R	19	33/1.30	60/2.36	12mm*1.50	R
193309R	19	33/1.30	60/2.36	14mm*1.50	R
193906R	19	39/1.54	66/2.60	12mm*1.25	R
193907R	19	39/1.54	66/2.60	12mm*1.50	R
193909R	19	39/1.54	66/2.60	14mm*1.50	R

Lug Bolt



SUNSOUL code	Hex mm	Height mm/inch	Overall Length	Thread	Seat
8172406	17	24/0.95	78/3.07	12mm*1.25	60°
8172407	17	24/0.95	78/3.07	12mm*1.50	60°
8172409	17	24/0.95	78/3.07	14mm*1.50	60°
8172806	17	28/1.10	78/3.07	12mm*1.25	60°
8172807	17	28/1.10	78/3.07	12mm*1.50	60°
8172809	17	28/1.10	78/3.07	14mm*1.50	60°
8173306	17	33/1.30	78/3.07	12mm*1.25	60°
8173307	17	33/1.30	78/3.07	12mm*1.50	60°
8173309	17	33/1.30	78/3.07	14mm*1.50	60°

SUNSOUL code	Hex mm	Height mm/inch	Overall Length mm/inch	Thread	Seat
8192406R	19	24/0.95	78/3.07	12mm*1.25	60°
8192407R	19	24/0.95	78/3.07	12mm*1.50	60°
8192409R	19	24/0.95	78/3.07	14mm*1.50	60°
8192806R	19	28/1.10	78/3.07	12mm*1.25	60°
8192807R	19	28/1.10	78/3.07	12mm*1.50	60°
8192809R	19	28/1.10	78/3.07	14mm*1.50	60°
8193306R	19	33/1.30	78/3.07	12mm*1.25	60°
8193307R	19	33/1.30	78/3.07	12mm*1.50	60°
8193309R	19	33/1.30	78/3.07	14mm*1.50	60°

Lock Bolt



SUNSOUL code	Hex mm	Height mm/inch	Overall Length	Thread	Seat
52406	22	24/0.95	51/2.01	12mm*1.25	60°
52407	22	24/0.95	51/2.01	12mm*1.50	60°
52409	22	24/0.95	51/2.01	14mm*1.50	60°
52806	22	28/1.10	55/2.17	12mm*1.25	60°
52807	22	28/1.10	55/2.17	12mm*1.50	60°
52809	22	28/1.10	55/2.17	14mm*1.50	60°
53306	22	33/1.30	60/2.36	12mm*1.25	60°
53307	22	33/1.30	60/2.36	12mm*1.50	60°
53309	22	33/1.30	60/2.36	14mm*1.50	60°
53906	22	39/1.54	66/2.60	12mm*1.25	60°
53907	22	39/1.54	66/2.60	12mm*1.50	60°
53909	22	39/1.54	66/2.60	14mm*1.50	60°

SUNSOUL code	Hex mm	Height mm/inch	Overall Length mm/inch	Thread	Seat
52406R	22	24/0.95	51/2.01	12mm*1.25	R
52407R	22	24/0.95	51/2.01	12mm*1.50	R
52409R	22	24/0.95	51/2.01	14mm*1.50	R
52806R	22	28/1.10	55/2.17	12mm*1.25	R
52807R	22	28/1.10	55/2.17	12mm*1.50	R
52809R	22	28/1.10	55/2.17	14mm*1.50	R
53306R	22	33/1.30	60/2.36	12mm*1.25	R
53307R	22	33/1.30	60/2.36	12mm*1.50	R
53309R	22	33/1.30	60/2.36	14mm*1.50	R
53906R	22	39/1.54	66/2.60	12mm*1.25	R
53907R	22	39/1.54	66/2.60	12mm*1.50	R
53909R	22	39/1.54	66/2.60	14mm*1.50	R

Lock Bolt



SUNSOUL code	Hex mm	Height mm/inch	Overall Length	Thread	Seat
62406	22	24/0.95	51/2.01	12mm*1.25	60°
62407	22	24/0.95	51/2.01	12mm*1.50	60°
62409	22	24/0.95	51/2.01	14mm*1.50	60°
62806	22	28/1.10	55/2.17	12mm*1.25	60°
62807	22	28/1.10	55/2.17	12mm*1.50	60°
62809	22	28/1.10	55/2.17	14mm*1.50	60°
63306	22	33/1.30	60/2.36	12mm*1.25	60°
63307	22	33/1.30	60/2.36	12mm*1.50	60°
63309	22	33/1.30	60/2.36	14mm*1.50	60°
63906	22	39/1.54	66/2.60	12mm*1.25	60°
63907	22	39/1.54	66/2.60	12mm*1.50	60°
63909	22	39/1.54	66/2.60	14mm*1.50	60°

SUNSOUL code	Hex mm	Height mm/inch	Overall Length mm/inch	Thread	Seat
62406SP	22	24/0.95	51/2.01	12mm*1.25	60°
62407SP	22	24/0.95	51/2.01	12mm*1.50	60°
62409SP	22	24/0.95	51/2.01	14mm*1.50	60°
62806SP	22	28/1.10	55/2.17	12mm*1.25	60°
62807SP	22	28/1.10	55/2.17	12mm*1.50	60°
62809SP	22	28/1.10	55/2.17	14mm*1.50	60°
63306SP	22	33/1.30	60/2.36	12mm*1.25	60°
63307SP	22	33/1.30	60/2.36	12mm*1.50	60°
63309SP	22	33/1.30	60/2.36	14mm*1.50	60°
63906SP	22	39/1.54	66/2.60	12mm*1.25	60°
63907SP	22	39/1.54	66/2.60	12mm*1.50	60°
63909SP	22	39/1.54	66/2.60	14mm*1.50	60°

Lock Bolt



SUNSOUL code	Hex mm	Height mm/inch	Overall Length	Thread	Seat
72406	22	24/0.95	51/2.01	12mm*1.25	60°
72407	22	24/0.95	51/2.01	12mm*1.50	60°
72409	22	24/0.95	51/2.01	14mm*1.50	60°
72806	22	28/1.10	55/2.17	12mm*1.25	60°
72807	22	28/1.10	55/2.17	12mm*1.50	60°
72809	22	28/1.10	55/2.17	14mm*1.50	60°
73306	22	33/1.30	60/2.36	12mm*1.25	60°
73307	22	33/1.30	60/2.36	12mm*1.50	60°
73309	22	33/1.30	60/2.36	14mm*1.50	60°
73906	22	39/1.54	66/2.60	12mm*1.25	60°
73907	22	39/1.54	66/2.60	12mm*1.50	60°
73909	22	39/1.54	66/2.60	14mm*1.50	60°

SUNSOUL code	Hex mm	Height mm/inch	Overall Length mm/inch	Thread	Seat
62406T	20	24/0.95	51/2.01	12mm*1.25	-
62407T	20	24/0.95	51/2.01	12mm*1.50	-
62409T	20	24/0.95	51/2.01	14mm*1.50	-
62806T	20	28/1.10	55/2.17	12mm*1.25	-
62807T	20	28/1.10	55/2.17	12mm*1.50	-
62809T	20	28/1.10	55/2.17	14mm*1.50	-
63306T	20	33/1.30	60/2.36	12mm*1.25	-
63307T	20	33/1.30	60/2.36	12mm*1.50	-
63309T	20	33/1.30	60/2.36	14mm*1.50	-
63906T	20	39/1.54	66/2.60	12mm*1.25	-
63907T	20	39/1.54	66/2.60	12mm*1.50	-
63909T	20	39/1.54	66/2.60	14mm*1.50	-

Lock Bolt



SUNSOUL code	Hex mm	Height mm/inch	Overall Length	Thread	Seat
72406T	20	24/0.95	51/2.01	12mm*1.25	-
72407T	20	24/0.95	51/2.01	12mm*1.50	-
72409T	20	24/0.95	51/2.01	14mm*1.50	-
72806T	20	28/1.10	55/2.17	12mm*1.25	-
72807T	20	28/1.10	55/2.17	12mm*1.50	-
72809T	20	28/1.10	55/2.17	14mm*1.50	-
73306T	20	33/1.30	60/2.36	12mm*1.25	-
73307T	20	33/1.30	60/2.36	12mm*1.50	-
73309T	20	33/1.30	60/2.36	14mm*1.50	-
73906T	20	39/1.54	66/2.60	12mm*1.25	-
73907T	20	39/1.54	66/2.60	12mm*1.50	-
73909T	20	39/1.54	66/2.60	14mm*1.50	-

SUNSOUL code	Hex mm	Height mm/inch	Overall Length mm/inch	Thread	Seat
92406T	20	24/0.95	51/2.01	12mm*1.25	-
92407T	20	24/0.95	51/2.01	12mm*1.50	-
92409T	20	24/0.95	51/2.01	14mm*1.50	-
92806T	20	28/1.10	55/2.17	12mm*1.25	-
92807T	20	28/1.10	55/2.17	12mm*1.50	-
92809T	20	28/1.10	55/2.17	14mm*1.50	-
93306T	20	33/1.30	60/2.36	12mm*1.25	-
93307T	20	33/1.30	60/2.36	12mm*1.50	-
93309T	20	33/1.30	60/2.36	14mm*1.50	-
93906T	20	39/1.54	66/2.60	12mm*1.25	-
93907T	20	39/1.54	66/2.60	12mm*1.50	-
93909T	20	39/1.54	66/2.60	14mm*1.50	-

Wheel Stud



SUNSOUL code	O.D. mm	Thread mm	Overall Length mm	Thread	Plating
SD001	12.03	26~70	39~83	12*1.25	Zinc/Dacromet/Black
SD002	12.30	26~70	39~83	12*1.25	Zinc/Dacromet/Black
SD003	12.70	26~70	39~83	12*1.25	Zinc/Dacromet/Black
SD004	13.03	26~70	39~83	12*1.25	Zinc/Dacromet/Black
SD005	14.20	26~70	39~83	12*1.25	Zinc/Dacromet/Black
SD006	14.70	26~70	39~83	12*1.25	Zinc/Dacromet/Black
SD007	12.03	26~70	39~83	12*1.50	Zinc/Dacromet/Black
SD008	12.30	26~70	39~83	12*1.50	Zinc/Dacromet/Black
SD009	12.70	26~70	39~83	12*1.50	Zinc/Dacromet/Black
SD010	13.03	26~70	39~83	12*1.50	Zinc/Dacromet/Black
SD011	14.20	26~70	39~83	12*1.50	Zinc/Dacromet/Black
SD012	14.70	26~70	39~83	12*1.50	Zinc/Dacromet/Black
SD013	15.40	28~70	41~83	14*1.50	Zinc/Dacromet/Black
SD014	15.90	28~70	41~83	14*1.50	Zinc/Dacromet/Black
SD015	16.20	28~70	41~83	14*1.50	Zinc/Dacromet/Black

Wheel lock bolt

7 point Spline Wheel lock nut



SUNSOUL code	Description	Pack
SSLB001	4+1 Chrome Blister card Packing Fit for 4800	20

PS:16+1 or 20+1 is Available

SUNSOUL code	Description	Pack
SSLN002	4pcs 3806OD 1pc 4800 Chrome Blister card Packing Fit 3800D key	20

PS:16+1 or 20+1 is Available

5 point Spline Wheel lock nut

Allen Wheel lock nut



SUNSOUL
code

Description

Pack

4+1
Chrome
SSLN003 Blister card
Packing
Fit 4800D key

20

PS:16+1 or 20+1 is Available

SUNSOUL
code

Description

Pack

4+1
Chrome
SSLN004 Blister card
Packing
Fit 2800D key

20

PS:16+1 or 20+1 is Available

6point spline Wheel lock nut

5 flower spline Wheel lock nut



SUNSOUL
code

Description

Pack

4+1
Chrome
Blister card
Packing
Fit 3800B key

20

PS:16+1 or 20+1 is Available

SUNSOUL
code

Description

Pack

4+1
Chrome
Blister card
Packing
Fit 4800B key

20

PS:16+1 or 20+1 is Available



SERVICE WITH A SMILE

86-574-8185 8937
Contact Us

